Wild Juvenile Salmonid Monitoring Program 2025
Klemtu, BC

Report Date: August 28, 2025

Prepared For:
MOWI Canada West
#124 – 1334 Island Highway
Campbell River, BC
V9W 8C9



Digitally signed by Lance Stewardson
DN: cn=Lance Stewardson, o=Mainstream Biological, ou, email=lance@mainstreambio.ca, c=CA
Date: 2025.08.28 12:26:06 -07'00'

MAINSTREAM
Biological Consulting
250·287·2462
www.mainstreambio.ca

Summary

Beach seine sampling was conducted on behalf of MOWI Canada West near Klemtu, BC in 2025. Sampling was completed to monitor sea lice abundance, prevalence, and intensity on juvenile wild salmon in the vicinity of Klemtu, BC. Wild juvenile salmon monitoring for sea lice infestation, near Klemtu, BC, has been completed each spring by the Kitasoo Xai'xais First Nation (KXN) Guardians since 2005. MOWI Canada West requested that Mainstream Biological Consulting (MBC) assist the KXN Guardians in 2025 to standardize the monitoring program to ensure that it meets and fulfills the of the Klemtu areas aquaculture facilities Fisheries and Oceans Canada's (DFO) conditions of license. This report only outlines the sampling and results of the two sampling periods conducted by a joint MBC and KXN crew.

Sampling was conducted during two separate sampling events with one in April and one in May 2025, selected to coincide with the peak outmigration period of juvenile salmonids. Sampling was completed at 14 sites near Klemtu, BC. The sites were selected based on their locations relative to existing aquaculture sites in the area and are sites that have been historically sampled by the KXN Guardians.

Thirty individuals from each target fish species (Pacific salmonids) or the total number of captured individuals from each target species (if less than 30 were captured) were collected from each of the 10 sites during the sampling events. Total catch numbers of each species were recorded. Water quality measurements including surface and one meter depth temperature, dissolved oxygen and salinity were recorded at each site during each sampling event.

Collected sample fish were frozen and delivered to the Center for Aquatic Health Sciences (CAHS) for laboratory analysis. Sea lice infestation data was tabulated by CAHS and provided to Mainstream Biological Consulting for reporting. Sea lice observed on the individual fish specimens during laboratory analysis were identified as either *Lepeophtheirus spp.* or *Caligus sp*. These lice are assumed to be *Lepeophtheirus salmonis* and *Caligus clemensi* due to the lack of documented infestation of Pacific salmon by other species. The lice were identified to life stage, and the sex of pre-adult or adult motile lice was determined.

This data summary report documents the observed sea lice infestation rate on retained wild juvenile salmon collected near Klemtu, BC, in 2025. A total of 1064 wild juvenile salmonids underwent lab analysis for sea lice infestation including 554 pink salmon, 501 chum salmon, and nine coho salmon. No Atlantic salmon (*Salmo salar*) were captured during sampling completed near Klemtu, BC, in 2025. From the total sample population, 144 salmonids were infested with 204 sea lice. The calculated prevalence for the total sample population was 13.5 %, the sea lice abundance was 0.20, and the average intensity was 1.4 for the sample population collected in the vicinity of Klemtu, BC, in 2025.

Pink salmon smolts were captured in greater numbers than any other species. A total of 8596 pink salmon were captured, representing 65.2 % of all captured salmonids. Of the 8596 pink captured, 554 were kept for lab analysis for sea lice infestation. A total of 53 pink smolts were found to be infested with a total of 62 lice resulting in a calculated prevalence of 9.6 %, abundance of 0.11, and an average intensity of 1.2 for the pink salmon sample population.

A total of 4570 chum salmon were captured, representing 34.7 % of all captured samples. Of the 4570 chum salmon captured, 501 were kept for lab analysis for sea lice infestation. A total of 91 chum salmon were found to be infested with a total of 142 lice resulting in a calculated prevalence of 18.2 %, abundance of 0.28, and an average intensity of 1.6 for the chum salmon sample population.

Nine coho salmon was captured, representing 0.07 % of all captured samples. The nine coho salmon captured were kept for lab analysis for sea lice infestation and were not infested with any sea lice.

A total of 69 *Lepeophtheirus salmonis* sea lice of various life stages were identified on 60 juvenile salmon. A total of 135 *Caligus clemensi* sea lice of various life stages were identified on 97 juvenile salmon. Of the infested juvenile salmon, 13 juvenile salmon were found to be infested with both *L. salmonis* and *C. clemensi* sea lice (Appendix III).

A total of 46 *Lepeophtheirus salmonis* sea lice of various life stages, were identified on 38 juvenile chum salmon and 96 *Caligus clemensi* sea lice of various life stages were found on 64 juvenile chum salmon. Of the infested chum, 11 were found to be infested with both *L. salmonis* and *C. clemensi* sea lice.

A total of 23 *Lepeophtheirus salmonis* sea louse of various life stages were identified on 22 juvenile pink salmon and 39 *Caligus clemensi* sea lice of various life stages were found on 33 juvenile pink salmon. Of the infested pink, two were found to be infested with both *L. salmonis* and *C. clemensi* sea lice.

Table of Contents

Summary ..... **i**

Table of Contents ..... **iii**

List of Figures ..... **iv**

List of Tables ..... **v**

1.0 Introduction **1**

2.0 Methods **4**

2.1 Site Locations 4

2.2 Field Procedures 6

2.3 Laboratory Procedures 7

2.4 Data Analysis 7

3.0 Results **9**

3.1 Water Quality Parameters 9

3.2 Fish Sample Composition 11

3.3 Fish Sample Size Statistics 11

3.3.1 Pink Salmon 11

3.3.2 Chum Salmon 11

3.3.3 Coho Salmon 12

3.4 Sea Lice Infestation Rates 14

3.4.1 Infestation Rates on Pink Salmon 15

3.4.2 Infestation Rates on Chum Salmon 16

3.5 Infestation by Sea Lice Species 17

3.5.1 Infestation by Life Stage on Pink Salmon 17

3.5.2 Infestation by Life Stage on Chum Salmon 20

4.0 References **22**

Appendix I – Field Data ..... **I**

Appendix II – Capture and Collection Sample Totals ..... **II**

Appendix III – Sea Lice Analysis ..... **III**

List of Figures

Figure 1: An overview map showing the location of Klemtu on the BC central coast (red dot). 3

Figure 2: The locations of the 14 beach seine sites near Klemtu, BC sampled in 2025. MOWI Canada West aquaculture site locations are indicated with a black diamond. 5

List of Tables

Table 1: The name and location of the 14 beach seine sites where fish were collected for sea lice analysis near Klemtu BC in 2025. 4

Table 2: Surface water quality parameters collected during 2025 beach seine sampling near Klemtu, BC. 10

Table 3: One meter water quality parameters collected during 2025 beach seine sampling near Klemtu, BC. 10

Table 4: The total of collected individuals of each fish species captured near Klemtu, BC between April and May 2025, and the percentage of the total capture population that they represent. 11

Table 5: The number of captured fish (Capture Total) and the number of individual fish collected (Sample Total) from each of the 14 sample sites near Klemtu, BC on April 29, and May 28 and 29, 2025. 13

Table 6: Average lengths of pink, chum, and coho collected near Klemtu, BC in 2025, summarized by sampling event. 14

Table 7: Average weights of pink, chum, and coho collected near Klemtu, BC in 2025, summarized by sampling event 14

Table 8: Results of analysis for sea lice infestation on fish collected by beach seine near Klemtu, BC in 2025. 15

Table 9: Total number, prevalence, abundance, and intensity of sea lice infestation on pink salmon collected near Klemtu, BC in 2025 summarized by sampling site. 16

Table 10: Total number, prevalence, abundance, and intensity of sea lice infestation on chum salmon collected near Klemtu, BC in 2025 summarized by sampling site. 17

Table 11: The number of Lepeophtheirus salmonis and Caligus clemensi in each life stage identified on the pink salmon sample population collected near Klemtu, BC, in 2025. LEP = Lepeophtheirus salmonis CAL= Caligus clemensi 18

Table 12: The number of sea lice found on pink salmon collected near Klemtu, BC in 2025 summarized by sampling site. LEP = *Lepeophtheirus salmonis* CAL= *Caligus clemensi* 19

Table 13: The number of *Lepeophtheirus salmonis* and *Caligus clemensi* in each life stage identified on the chum salmon sample population from near Klemtu, BC, in 2025. LEP = *Lepeophtheirus salmonis* CAL= *Caligus clemensi* 20

Table 14: The number of sea lice found on chum salmon collected near Klemtu, BC in 2025 summarized by sampling site. LEP = *Lepeophtheirus salmonis* CAL= *Caligus clemensi* 21

1.0 Introduction

Beach seine sampling was conducted at 14 sites near Klemtu, BC, in 2025 (Figure 1) to capture wild juvenile salmon on behalf of MOWI Canada West. Retained fish were analyzed by the Center for Aquatic Health Sciences (CAHS) for sea lice infestation. Two sampling events were completed between April 29, 2025, and May 29, 2025. Timing was selected to coincide with the estimated peak outmigration of juvenile salmonids near Klemtu, BC.

Parasitic copepods from the family Caligidae (sea lice) found in the coastal waters of British Columbia are divided into two genera: *Lepeophtheirus* and *Caligus*. Eleven species of *Lepeophtheirus* have been identified infesting fish in the Pacific Ocean, while only one species of *Caligus* (*Caligus clemensi*) has been identified (Margolis and Arthur 1979; McDonald and Margolis, 1995). *C. clemensi* infest an extremely wide range of natural hosts in the marine environment including salmonids and non-salmonids; while *L. salmonis* natural hosts on the Pacific coast have been found to include Pacific salmon, threespine stickleback and Pacific herring. During this analysis, *Lepeophtheirus spp.* sea lice found on salmonid specimens were assumed to be *L. salmonis* due to the lack of documented infestations of Pacific salmon by other *Lepeophtheirus* lice species (Jones and Nemec, 2004).

Both Caligidae genera have similar life histories and developmental stages (Kabata, 1972; Johnson and Albright, 1991a). Sea lice hatch from eggs and go through two free-swimming naupilii stages before developing into an infectious free-swimming copepodid. The copepodids attach to their host and develop through several chalimus stages. The chalimus are non-motile and are attached to their host by a frontal filament. The final chalimus stage terminates as the sea lice become motile and are no longer attached to their hosts by the frontal filament. The sea lice can now move freely on the fish as they develop through a pre-adult stage before becoming reproductively viable adults.

Water temperature and salinity are two environmental variables known to influence sea lice development, growth, survival, and reproductive rate. In British Columbia, surface seawater temperatures range from approximately 6 °C to 13 °C. Research on sea lice abundance conducted in the Broughton Archipelago and elsewhere on the coast of British Columbia indicates that surface water temperature during the winter months does not appear to hinder the season abundance of *L. salmonis* (Saksida et al. 2007a, b). The rate of development and the generation times for *C. elongates* are strongly temperature dependent (Tully, 1992) and although this research has not been conducted, similar relationships with water temperature may be expected for *C. clemensi* (Jones and Johnson, 2015). Survival and development of *L. salmonis* is optimal in high salinity seawater. Under laboratory conditions copepodid survival was limited to conditions where salinity was greater than 10 ppt (Johnson and Albright, 1991b).

MOWI Canada West requested monitoring of sea lice abundance, prevalence, and intensity on juvenile wild salmon near Klemtu, BC. This data summary report documents the observed sea lice infestation rates on juvenile salmonids collected in the vicinity of Klemtu, BC in 2025. Wild juvenile salmon monitoring for sea lice infestation, near Klemtu, BC, has been completed each spring by the Kitasoo Xai'xais First Nation (KXN) Guardians since 2005. MOWI Canada West requested that Mainstream Biological Consulting (MBC) assist the KXN Guardians in 2025 to standardize the monitoring program to ensure that it meets and fulfills the of the Klemtu areas aquaculture facilities Fisheries and Oceans Canada's (DFO) conditions of license. This report only outlines

the sampling and results of the two sampling periods conducted by a joint MBC and KXN crew.

Figure 1: An overview map showing the location of Klemtu on the BC central coast (red dot).

2.0 Methods

Juvenile salmonids were collected from 14 sites near Klemtu, BC. These sites were sites that had been historically sampled by the KXN Guardians and were chosen based on their locations relative to existing MOWI Canada West aquaculture sites in the area (Figure 2). The sites were sampled twice in 2025 on April 29, 2025, and May 28 and May 29, 2025.

2.1 Site Locations

Of the 14 sampling sites, two sites were located in Laredo Inlet (Upper Laredo, Lower Laredo), two sites were in Tolmie Channel (Cougar Bay, Lower Tolmie), three sites were in Finlayson Channel (Goat Cove, Mary's Cove, Suzy Bay), three sites were in Mathieson Channel (Kynoch Point, Hird Point, Arthur Island), two sites were in Sheep Passage (Carter Bay, Windy Bay), and a single site was located in both Jackson Passage and Meyers Passage (Jackson Pass and Meyers Pass respectively). GPS coordinates collected in the field for the sites are presented in Table 1 and all sites are shown in Figure 2.

Table 1: The name and location of the 14 beach seine sites where fish were collected for sea lice analysis near Klemtu BC in 2025.

Site #	Latitude	Longitude
Arthur Island	52 28.633	128 16.864
Carter Bay	52 49.104	128 23.463
Cougar Bay	52 44.386	128 34.919
Goat Cove	52 46.942	128 23.752
Hird Point	52 34.308	128 14.617
Jackson Pass	52 32.906	128 26.157
Kynoch Point	52 46.158	128 07.761
Lower Laredo	52 36.848	128 46.024
Lower Tolmie	52 39.825	128 33.605
Mary's Cove	52 36.196	128 30.803
Meyers Pass	52 36.336	128 36.239
Suzy Bay	52 26.536	128 24.952
Upper Laredo	52 43.694	128 46.946
Windy Bay	52 47.011	128 15.396



Figure 2: The locations of the 14 beach seine sites near Klemtu, BC sampled in 2025. MOWI Canada West aquaculture site locations are indicated with a black diamond.

2.2 Field Procedures

Procedures used by Mainstream Biological Consulting during 2025 sampling were adapted from procedures for beach seining, fish collection and field data recording utilized by the Department of Fisheries and Oceans (DFO).

A MOWI Canada West vessel or a KXN Guardian vessel was used to travel to each of the 14 site locations and complete sets using a standard 150 ft (45.7 m) long by 12 ft (3.7 m) deep beach seine net to capture specimens. The net was constructed in three 50 ft (15.2 m) sections, with the centre bunt consisting of one-quarter inch diameter diamond mesh, and two side panels (wings) consisting of half-inch diameter diamond mesh. Floats were attached every 30 cm along the top-line and a lead line provided weight along the bottom of the net. Sampling at all sampling locations in April and at three of the sites sampled in May was completed using the KXN Guardians15 m long one-quarter inch diameter diamond mesh beach seine.

A three person crew conducted the beach seine sets. A short search for fish was completed in the vicinity of each site for a maximum of five minutes. If fish were not observed in that time period, a “blind set” was completed. All set locations were approached slowly by boat and one crewmember was put ashore with one end of the net towline. The onshore crewmember held the towline at one side of the sample site, while the second crewmember ensured the net deployed smoothly off the bow or side of the boat as the third crewmember backed the boat in a wide semicircle towards the opposite side of the sample site. When the net was fully deployed, the second crewmember stepped into the shallow water with the towline or tossed it to the awaiting crewmember on shore. A slow retrieval of the net began immediately.

As the net was slowly retrieved, surface and one meter water quality data was collected for temperature, salinity and dissolved oxygen using a YSI Pro Quatro Probe.

Crewmembers retrieved the net evenly from opposite ends, ensuring that the lead line remained as close to the bottom as possible. Retrieved netting was piled on the beach above the water level. As the retrieval reached the net bunt, the lead line was retrieved at a faster rate than the floats to allow the netting of the bunt to form a bag under any captured fish. The lead line was then pulled up onto the beach above the water level. One crewmember worked their way around the outside of the net in the shallow water to ensure the floats stayed above the surface of the water. In this manner a small, shallow bag formed from the bunt of the net contained the captured fish in the water so that they could be sampled.

The two shore crew members collected individual fish from the bunt to ensure that captured fish remained in the net for as short a period as possible. The net was manipulated as necessary in response to changing tides to ensure the captured fish remained in sufficient water to minimize contact with the net or with other fish.

Where possible, a total of 30 individuals from each target species were retained for sea lice infestation analysis. If less than 30 individuals of a target species were captured, all the captured fish were retained. Individual fish were haphazardly “swam” into an appropriately sized Whirlpac bag. Handling of fish was kept to a minimum.

Once all the fish for retention were collected, a total catch number was recorded for each species. Any fish remaining in the net were counted or estimated (if more than 300 individuals were present) and released. The total of fish remaining in the net was added

to the number of retained individuals to calculate a total capture number for a given species.

A standardized field form was used to record the following information for each beach seine set:

- Site name or number
- Date
- Time at the end of the individual fish collection
- Comments on weather and oceanic conditions
- Total capture and retained fish numbers for each specimen group
- Water temperature (°C), salinity (ppt) and dissolved oxygen (mg/L) to one decimal place
- GPS coordinates
- The number of salmon mortalities.

Retained fish from each site were packaged separately in re-sealable bags and labelled with the site name or number, the date and sample numbers of each species. Sample bags were stored on dry ice in a cooler while on board the boat and transferred to a portable freezer on the support boat immediately following completion of the set.

Following each set the net was reloaded onto the bow of the boat. Crewmembers scanned the net for obvious holes, which were repaired immediately if found.

The above sampling procedures were repeated at each of the sample sites.

2.3 Laboratory Procedures

Frozen samples and delivered to the Center for Aquatic Health Sciences (CAHS) for laboratory analysis. Sea lice observed on the individual fish specimens during laboratory analysis were identified as either copepodids, non-motile chalimus, or motile pre-adults and adults. Lice were identified as either of the two chalimus stages for *Lepeophtheirus salmonis* (Hamre et al., 2013) or four chalimus stages for *Caligus clemensi*. Motile lice, either pre-adults or adults, were identified as either *Lepeophtheirus salmonis* or *Caligus clemensi* and the sex of the louse was determined. Sea lice infestation data was tabulated by CAHS and provided to Mainstream Biological Consulting for reporting.

Data provided by CAHS also included measured fork length in millimetres and weight (recorded to the nearest hundredth of a gram). Lengths and weights were recorded with the specimen's corresponding sea lice analysis results.

2.4 Data Analysis

Surface and one meter water quality data collected for temperature, salinity and dissolved oxygen was summarized to report the minimum and maximum values and averages for each sample week.

Beach seine fish sample composition was summarized by species and site for each sample period. The fork lengths and weights of the samples were summarized to present minimum and maximum values as well as averages. Sea lice infestation rates, including the overall number of infested fish and the number of sea lice identified, were determined for the sample population, and prevalence and abundance of sea lice were calculated. Prevalence was defined as the number of host fish found to have one or

more sea lice compared to the total number of host fish examined, while abundance was defined as the total number of sea lice observed compared to the total number of host fish examined. The intensity of sea lice infestation, as described by the average number of sea lice found on a single salmon infested was summarized. Average intensity was calculated by dividing the total number of sea lice identified by the number of infested fish.

Statistical analysis of the spatial and temporal distribution of sea lice was not conducted. Spatial and temporal analysis has been limited to the simple presentation and discussion of the number of sea lice found on fish specimens collected from each site during each of the sampling events.

3.0 Results

The following sections outline the results of beach seine collection and inspection of juvenile salmonids collected near Klemtu, BC in 2025. Water quality field data is presented in Appendix I. Beach seine fish capture data is included in Appendix II and data on the fish sample population including sea lice lab analysis results are listed in Appendix III.

3.1 Water Quality Parameters

Surface and one meter depth measurements of water temperature, salinity and dissolved oxygen were taken during beach seining sampling at each of the 14 sites during the two sample periods. Water quality parameters are summarized in Table 2 and Table 3 respectively and the complete dataset is included in Appendix I.

Recorded surface water temperatures ranged from a low of 8.0 °C at Mary's Cove on April 29, 2025, to a high of 12.1 °C at Kynoch Point on April 29, 2025. The average surface water temperature increased from 9.5 °C to 10.1 °C over the two sampling periods (Table 2).

Recorded surface water salinity ranged from a low of 10.8 ppt at Windy Bay on May 28, 2025, to 32.0 ppt at Mary's Cove on April 29, 2025. The average surface salinity decreased across all sites from 28.8 ppt to 20.2 ppt between April 2025 and May 2025 (Table 2; Appendix I).

Recorded surface dissolved oxygen ranged from a low of 8.7 mg/L at Mary's Cove on April 29, 2025, to a high of 11.6 mg/L at Kynoch Point and Windy Bay on April 29, 2025. The average surface dissolved oxygen decreased slightly from 10.5 mg/L to 9.6 mg/L between April 2025 and May 2025.

Recorded 1 m water temperatures ranged from a low of 8.0 °C at Mary's Cove on April 29, 2025, to a high of 11.7 °C at Lower Laredo on May 29, 2025. The average 1 m temperature increased slightly from 9.4 °C to 9.9 °C over the two sampling periods.

Recorded 1 m water salinity ranged from a low of 12.9 ppt at Windy Bay on May 28, 2025, to a high of 32.0 ppt at Mary's Cove on April 29, 2025. The average 1 m salinity decreased from 29.4 ppt to 21.1 ppt over the two sampling periods.

Recorded 1 m dissolved oxygen ranged from a low of 8.7 mg/L at Mary's Cove and Suzy Bay on April 29, 2025, and May 28, 2025, respectfully, to a high of 12.1 mg/L at Windy Bay on April 29, 2025. The average surface dissolved oxygen decreased slightly from 10.7 mg/L to 9.5 mg/L between April 2025 and May 2025.

Table 2: Surface water quality parameters collected during 2025 beach seine sampling near Klemtu, BC.

Site	April 29, 2025			May 28/29, 2025		
	Salinity (ppt)	Temp. (°C)	DO (mg/L)	Salinity (ppt)	Temp. (°C)	DO (mg/L)
Arthur Island	31.5	8.7	9.1	23.1	10.6	9.8
Carter Bay	25.8	10.1	11.4	12.8	9.6	10.7
Cougar Bay	27.5	8.5	11.5	22.6	9.2	9.5
Goat Cove	30.5	9.5	11.2	22.2	9.8	9.1
Hird Point	29.4	10.0	10.1	18.4	10.9	10.1
Jackson Pass	29.4	8.7	11.4	26.1	9.8	9.1
Kynoch Point	22.4	12.1	11.6	14.2	10.0	10.5
Lower Laredo	30.9	10.4	10.6	20.5	11.6	9.7
Lower Tolmie	31.2	8.3	9.4	22.7	9.7	9.0
Mary's Cove	32.0	8.0	8.7	24.0	10.1	9.7
Meyers Pass	30.9	9.5	10.2	25.4	9.5	9.1
Suzy Bay	31.4	8.4	9.2	26.1	9.7	8.8
Upper Laredo	25.5	10.3	11.1	13.3	10.9	9.8
Windy Bay	24.9	10.7	11.6	10.8	9.6	10.1
Average	**28.8**	**9.5**	**10.5**	**20.2**	**10.1**	**9.6**

Table 3: One meter water quality parameters collected during 2025 beach seine sampling near Klemtu, BC.

Site	April 29, 2025			May 28/29, 2025		
	Salinity (ppt)	Temp. (°C)	DO (mg/L)	Salinity (ppt)	Temp. (°C)	DO (mg/L)
Arthur Island	31.5	8.7	9.0	23.6	10.5	9.8
Carter Bay	27.3	10.0	11.6	13.5	9.6	10
Cougar Bay	29.3	8.5	10.9	23	9.1	9.3
Goat Cove	30.5	9.4	11.9	22.4	9.9	9.2
Hird Point	30.0	9.8	11.1	18.5	10	10
Jackson Pass	29.8	8.7	11.6	26.1	9.7	9.1
Kynoch Point	24.2	11.4	11.8	14.2	10	10
Lower Laredo	31.1	9.6	11.2	21.5	11.7	9.5
Lower Tolmie	31.3	8.2	9.2	23	9.6	8.8
Mary's Cove	32.0	8.0	8.7	24	10.1	9.8
Meyers Pass	31.1	9.4	10.5	25.4	9.4	8.8
Suzy Bay	31.5	8.4	8.8	26.1	9.7	8.7
Upper Laredo	25.3	10.2	11.4	-	-	-
Windy Bay	26.5	10.9	12.1	12.9	9.5	10.3
Average	**29.4**	**9.4**	**10.7**	**21.1**	**9.9**	**9.5**

3.2 Fish Sample Composition

A total of 13175 fish were captured during beach seine sampling conducted in Klemtu, BC in 2025 (Table 5). A summary of the total number of fish captured and collected as specimens at each site over the collection period is presented in Table 5, with a complete dataset provided in Appendix II. Of the 13175 fish captured, 554 pink salmon, 501 chum salmon, and nine coho salmon, were retained for lab analysis (Table 4). No Atlantic salmon were captured during sampling completed near Klemtu, BC in 2025.

Pink salmon smolts were captured in greater numbers than any other species. A total of 8596 chum salmon were captured, representing 65.2 % of all captured salmonids (Table 4).

Table 4: The total of collected individuals of each fish species captured near Klemtu, BC between April and May 2025, and the percentage of the total capture population that they represent.

Common Name	Capture Total (% of total capture population)	Collection Totals	Collection %
Pink	8596 (65.2 %)	554	6.4
Chum	4570 (34.7 %)	501	11.0
Coho	9 (0.07 %)	9	100.0
All Species	**13175**	**1064**	**8.1**

3.3 Fish Sample Size Statistics

Summary statistics for weight and fork length were calculated for the sample population of juvenile salmonids. Length (Table 6) and weight (Table 7) data were summarized by sampling event for each species.

3.3.1 Pink Salmon

Analysis of weight and fork length data was completed for the pink salmon sample population collected near Klemtu, BC in 2025. The weight of 554 pink smolts collected during the two sample events ranged from 0.14 g to 8.3 g and averaged 1.6 g (SD = 1.5). The fork length of the pink smolts ranged from 31 mm to 90 mm and averaged 51 mm (SD = 13). Pink salmon weight and length data was summarized by month and shows an increase in both parameters in the sample population from April to May (Table 6 and Table 7).

3.3.2 Chum Salmon

Analysis of weight and fork length data was completed for the chum salmon sample population collected near Klemtu in 2025. The weight of 501 chum salmon collected during the two sample events ranged from 0.25 g to 7.3 g and averaged 1.8 g (SD = 1.4). The fork length of the chum salmon ranged from 30 mm to 93 mm and averaged 54 mm (SD = 13). Chum salmon weight and length data was summarized by month and shows an increase in both parameters in the sample population from April to May (Table 6 and Table 7).

3.3.3 Coho Salmon

Analysis of weight and fork length data was completed for the coho salmon sample population collected near Klemtu, BC in 2025. The weight of nine coho salmon collected during the two sample events ranged from 5.2 g to 19.8 g and averaged 10.8 g (SD = 5.1). The fork length of the coho salmon ranged from 73 mm to 120 mm and averaged 96 mm (SD = 17). Coho salmon weight and length data was summarized by month (Table 6 and Table 7).

Table 5: The number of captured fish (Capture Total) and the number of individual fish collected (Sample Total) from each of the 14 sample sites near Klemtu, BC on April 29, and May 28 and 29, 2025.

Site	Pink		Chum		Coho		Capture Totals	Sample Totals
	Capture Total	Sample Total	Capture Total	Sample Total	Capture Total	Sample Total		
Arthur Island	250	64	130	59	4	4	384	127
Carter Bay	40	30	33	30	0	0	73	60
Cougar Bay	108	36	112	60	0	0	220	96
Goat Cove	1100	58	1350	61	0	0	2450	119
Hird Point	0	0	0	0	0	0	0	0
Jackson Pass	30	30	37	30	0	0	67	60
Kynoch Point	2553	62	503	31	0	0	3056	93
Lower Laredo	19	19	112	31	0	0	131	50
Lower Tolmie	2150	61	1150	60	0	0	3300	121
Mary's Cove	146	75	18	18	4	4	168	97
Meyers Pass	0	0	0	0	0	0	0	0
Suzy Bay	800	30	200	30	0	0	1000	60
Upper Laredo	1300	60	850	60	1	1	2151	121
Windy Bay	100	29	75	31	0	0	175	60
Total	**8596**	**554**	**4570**	**501**	**9**	**9**	**13175**	**1064**

Table 6: Average lengths of pink, chum, and coho collected near Klemtu, BC in 2025, summarized by sampling event.

Species	Length (mm)	
	April 29, 2025	May 28/29, 2025
Pink	44.1	60.7
Chum	45.0	63.5
Coho	-	95.7

Table 7: Average weights of pink, chum, and coho collected near Klemtu, BC in 2025, summarized by sampling event

Species	Weight (g)	
	April 29, 2025	May 28/29, 2025
Pink	0.84	1.6
Chum	1.0	1.9
Coho	-	10.7

3.4 Sea Lice Infestation Rates

The results of laboratory analysis for the presence of sea lice on the fish sample population collected near Klemtu, BC in 2025 are presented in Table 8. A complete dataset is included in Appendix III. A total of 1064 samples were collected at 14 sites near Klemtu, BC in 2025 and were inspected for sea lice infestation.

A total of 144 individuals in the sample population were found to be infested with 204 sea lice (Table 8). A total of 53 pink salmon and 91 chum salmon were found to be infested with sea lice (Table 8). The nine coho salmon collected were not infested with any sea lice.

The sea lice prevalence in the sample population collected near Klemtu, BC in 2025 was 13.5 % and the abundance was 0.20 (Table 8). Sea lice counts of both species observed (*L. salmonis* and *C. clemensi*) were added together for the prevalence and abundance calculations for the entire sample population.

The intensity of sea lice infestation ranged from one louse to a maximum of six lice found on one individual. The average intensity of lice on infected individuals ranged across species. The average intensity was 1.2 for pink salmon, 1.6 for chum salmon, and 1.4 for the entire salmonid sample population (Table 8).

Table 8: Results of analysis for sea lice infestation on fish collected by beach seine near Klemtu, BC in 2025.

Species	Sample size (n)	Total number of lice observed	Total number of fish infested	Prevalence (%)	Abundance	Average Intensity
Pink	554	62	53	9.6	0.11	1.2
Chum	501	142	91	18.2	0.28	1.6
Coho	9	0	0	0.0	0.00	0.0
Total	**1064**	**204**	**144**	**13.5**	**0.20**	**1.4**

3.4.1 Infestation Rates on Pink Salmon

The results of the laboratory analysis for sea lice infestation for pink salmon are presented by site in Table 9. A total of 554 pink salmon were processed during laboratory analysis, and a total of 53 pink salmon were found to be infested with at least one sea louse. Pink smolts were captured at all sites except for Jackson Pass and Suzy Bay. Pinks retained from 11 out of the 14 sites were infested with sea lice.

The prevalence of sea lice on the pink salmon sample population (n= 554) collected in the vicinity of Klemtu, BC, was 9.6 %. Sea lice prevalence calculated by site for pink salmon is presented in Table 9. The highest sea lice prevalence (26.2 %) was found at Mary's Cove.

The abundance of sea lice on the pink salmon sample population (n= 554) collected near Klemtu, BC in 2025 was 0.11. The 62 sea lice identified were observed on 53 individual pink salmon resulting in an average intensity of 1.2. Sea lice abundance and intensity were calculated by site and are presented in Table 9. The highest sea lice abundance (0.31) was found at Mary's Cove and the highest average intensity (1.5) was found at Meyers Pass.

Table 9: Total number, prevalence, abundance, and intensity of sea lice infestation on pink salmon collected near Klemtu, BC in 2025 summarized by sampling site.

Site	# of Pink Analyzed	# of Infested Pink	Average Weight Infested Pink (g)	# of Lice	Prevalence (%)	Abundance	Average Intensity
Arthur Island	29	4	1.6	4	13.8	0.14	1.0
Carter Bay	64	5	1.6	6	7.8	0.09	1.2
Cougar Bay	30	2	0.63	2	6.7	0.07	1.0
Goat Cove	36	2	0.68	2	5.6	0.06	1.0
Hird Point	58	4	0.85	4	6.9	0.07	1.0
Jackson Pass	0	0	-	0	0.0	0.00	0.0
Kynoch Point	30	3	1.8	3	10.0	0.10	1.0
Lower Laredo	62	4	1.1	5	6.5	0.08	1.3
Lower Tolmie	19	4	0.70	4	21.1	0.21	1.0
Mary's Cove	61	16	1.2	19	26.2	0.31	1.2
Meyers Pass	75	8	1.1	12	10.7	0.16	1.5
Suzy Bay	0	0	-	0	0.0	0.00	0.0
Upper Laredo	30	0	-	0	0.0	0.00	0.0
Windy Bay	60	1	0.61	1	1.7	0.02	1.0
Total	**554**	**53**	**1.1**	**62**	**9.6**	**0.11**	**1.2**

3.4.2 Infestation Rates on Chum Salmon

The results of the laboratory analysis for sea lice infestation for chum salmon are presented by site in Table 10. A total of 501 chum salmon were processed during laboratory analysis, and a total of 91 chum salmon were found to be infested with at least one sea louse. Chum salmon were captured at 12 of the 14 sites and samples from 11 of the 14 sites were infested with sea lice.

The prevalence of sea lice on the chum salmon sample population (n= 501) collected in the vicinity of Klemtu, BC, was 18.2 %. Sea lice prevalence calculated by site for chum salmon are presented in Table 10. The highest sea lice prevalence (61.7 %) was found at Mary's Cove.

The abundance of sea lice on the chum salmon sample population (n= 501) collected near Klemtu, BC in 2025 was 0.28. The 142 sea lice identified were observed on 91 individual chum salmon resulting in an average intensity of 1.6. Sea lice abundance and intensity were calculated by site and are presented in Table 10. The highest sea lice abundance (1.22) and average intensity (2.0) was found at Mary's Cove, where a total of 73 sea lice were found on 37 chum salmon.

Table 10: Total number, prevalence, abundance, and intensity of sea lice infestation on chum salmon collected near Klemtu, BC in 2025 summarized by sampling site.

Site	# of Chum Analyzed	# of Infested Chum	Average Weight Infested Chum (g)	# of Lice	Prevalence (%)	Abundance	Average Intensity
Arthur Island	31	11	2.5	16	35.5	0.52	1.5
Carter Bay	59	7	2.7	8	11.9	0.14	1.1
Cougar Bay	30	2	1.0	2	6.7	0.07	1.0
Goat Cove	60	8	2.4	8	13.3	0.13	1.0
Hird Point	61	3	1.1	3	4.9	0.05	1.0
Jackson Pass	0	0	-	0	0.0	0.00	0.0
Kynoch Point	30	2	1.5	2	6.7	0.07	1.0
Lower Laredo	31	12	2.0	19	38.7	0.61	1.6
Lower Tolmie	31	2	0.8	2	6.5	0.06	1.0
Mary's Cove	60	37	2.5	73	61.7	1.22	2.0
Meyers Pass	18	3	6.3	5	16.7	0.28	1.7
Suzy Bay	0	0	-	0	0.0	0.0	0.0
Upper Laredo	30	0	-	0	0.0	0.0	0.0
Windy Bay	60	4	1.2	4	6.7	0.07	1.0
Total	**501**	**91**	**2.2**	**142**	**18.2**	**0.28**	**1.6**

3.5 Infestation by Sea Lice Species

A total of 69 *Lepeophtheirus salmonis* sea lice of various life stages were identified on 60 juvenile salmon and 135 *Caligus clemensi* sea lice of various life stages were identified on 97 juvenile salmon. Of the infested juvenile salmon, 13 were found to be infested with both *L. salmonis* and *C. clemensi* sea lice (Appendix III).

3.5.1 Infestation by Life Stage on Pink Salmon

A total of 23 *Lepeophtheirus salmonis* sea lice of various life stages were identified on 22 juvenile pink salmon and 39 *Caligus clemensi* sea lice of various life stages were found on 33 juvenile pink salmon. Of the infested pink, two were found to be infested with both *L. salmonis* and *C. clemensi* sea lice. An analysis of sea lice species and life stage is presented in Table 11. An analysis of sea lice species on infested pink salmon, organized by site is presented in Table 12

Table 11: The number of Lepeophtheirus salmonis and Caligus clemensi in each life stage identified on the pink salmon sample population collected near Klemtu, BC, in 2025. LEP = Lepeophtheirus salmonis CAL= Caligus clemensi

Life Stage[1]	April 29, 2025	May 28/29, 2025
LEP Co	2	0
LEP C1	6	1
LEP C2	5	2
LEP NM No ID	0	0
LEP PAM	3	1
LEP PAF	0	2
LEP AM	0	1
LEP AF	0	0
Total LEP	**16**	**7**
CAL Co	1	4
CAL C1	14	8
CAL C2	4	2
CAL C3	2	0
CAL C4	1	0
CAL NM No ID	0	0
CAL PAM	0	0
CAL PAF	0	1
CAL AM	0	2
CAL AF	0	0
Total CAL	**22**	**17**

[1] Lice life stage codes: Co = copepodid, C1-4 = chalimus 1-4, PAM = pre-adult male, PAF = pre-adult female, AM = adult male, AF = adult female.

Table 12: The number of sea lice found on pink salmon collected near Klemtu, BC in 2025 summarized by sampling site. LEP = *Lepeophtheirus salmonis* CAL= *Caligus clemensi*

Site	Sample Period								TOTAL		
	April 29, 2025				May 28/29, 2025						
	# of Pink Analyzed	# of Infested Pink	# of LEP	# of CAL	# of Pink Analyzed	# of Infested Pink	# of LEP	# of CAL	**# of Pink Analyzed**	**# of Infested Pink**	**# of Lice**
Arthur Island	0	0	0	0	29	4	1	3	**29**	**4**	**4**
Carter Bay	33	2	2	0	31	3	0	4	**64**	**5**	**6**
Cougar Bay	30	2	2	0	0	0	0	0	**30**	**2**	**2**
Goat Cove	30	2	1	1	6	0	0	0	**36**	**2**	**2**
Hird Point	30	4	3	1	28	0	0	0	**58**	**4**	**4**
Jackson Pass	0	0	0	0	0	0	0	0	**0**	**0**	**0**
Kynoch Point	0	0	0	0	30	3	2	1	**30**	**3**	**3**
Lower Laredo	32	4	4	1	30	0	0	0	**62**	**4**	**5**
Lower Tolmie	19	4	0	4	0	0	0	0	**19**	**4**	**4**
Mary's Cove	31	8	1	8	30	8	3	7	**61**	**16**	**19**
Meyers Pass	46	6	2	7	29	2	1	2	**75**	**8**	**12**
Suzy Bay	0	0	0	0	0	0	0	0	**0**	**0**	**0**
Upper Laredo	30	0	0	0	0	0	0	0	**30**	**0**	**0**
Windy Bay	30	1	1	0	30	0	0	0	**60**	**1**	**1**
TOTAL	**311**	**33**	**16**	**22**	**243**	**20**	**7**	**17**	**554**	**53**	**62**

3.5.2 Infestation by Life Stage on Chum Salmon

A total of 46 *Lepeophtheirus salmonis* sea lice of various life stages were identified on 38 juvenile chum salmon and 96 *Caligus clemensi* sea lice of various life stages were found on 64 juvenile chum salmon. Of the infested chum, 11 were found to be infested with both *L. salmonis* and *C. clemensi* sea lice. An analysis of sea lice species and life stage is presented in Table 13. An analysis of sea lice species on infested chum salmon, organized by site, is presented in Table 14.

Table 13: The number of *Lepeophtheirus salmonis* and *Caligus clemensi* in each life stage identified on the chum salmon sample population from near Klemtu, BC, in 2025. LEP = *Lepeophtheirus salmonis* CAL= *Caligus clemensi*

Life Stage[1]	April 29, 2025	May 28/29, 2025
LEP Co	5	1
LEP C1	10	6
LEP C2	7	12
LEP NM No ID	0	0
LEP PAM	2	1
LEP PAF	0	1
LEP AM	0	1
LEP AF	0	0
TOTAL LEP	**24**	**22**
CAL Co	5	2
CAL C1	13	31
CAL C2	4	6
CAL C3	2	4
CAL C4	3	12
CAL NM No ID	0	0
CAL PAM	0	5
CAL PAF	0	1
CAL AM	3	4
CAL AF	0	1
TOTAL CAL	**30**	**66**

[1] Lice life stage codes: Co = copepodid, C1-4 = chalimus 1-4, PAM = pre-adult male, PAF = pre-adult female, AM = adult male, AF = adult female.

Table 14: The number of sea lice found on chum salmon collected near Klemtu, BC in 2025 summarized by sampling site. LEP = *Lepeophtheirus salmonis* CAL= *Caligus clemensi*

Site	Sample Period								TOTAL		
	April 29, 2025				May 28/29, 2025						
	# of Chum Analyzed	# of Infested Chum	# of LEP	# of CAL	# of Chum Analyzed	# of Infested Chum	# of LEP	# of CAL	**# of Chum Analyzed**	**# of Infested Chum**	**# of Lice**
Arthur Island	0	0	0	0	31	11	1	15	**31**	**11**	**16**
Carter Bay	30	1	2	0	29	6	4	2	**59**	**7**	**8**
Cougar Bay	30	2	1	1	0	0	0	0	**30**	**2**	**2**
Goat Cove	30	4	3	1	30	4	1	3	**60**	**8**	**8**
Hird Point	30	3	0	3	31	0	0	0	**61**	**3**	**3**
Jackson Pass	0	0	0	0	0	0	0	0	**0**	**0**	**0**
Kynoch Point	0	0	0	0	30	2	0	2	**30**	**2**	**2**
Lower Laredo	28	12	9	10	3	0	0	0	**31**	**12**	**19**
Lower Tolmie	31	2	1	1	0	0	0	0	**31**	**2**	**2**
Mary's Cove	30	14	7	13	30	23	15	38	**60**	**37**	**73**
Meyers Pass	0	0	0	0	18	3	0	5	**18**	**3**	**5**
Suzy Bay	0	0	0	0	0	0	0	0	**0**	**0**	**0**
Upper Laredo	30	0	0	0	0	0	0	0	**30**	**0**	**0**
Windy Bay	30	2	1	1	30	2	1	1	**60**	**4**	**4**
TOTAL	**269**	**40**	**24**	**30**	**232**	**51**	**22**	**66**	**501**	**91**	**142**

4.0 References

Hamre L.A., C Eichner, C.M.A. Caipang, S.T. Dalvin, J.E. Bron, F. Nilsen, G. Boxshall and R. Skern-Mauitzen. 2013. The Salmon Louse *Lepeophtheirus salmonis* (Copepoda: Caligidae) Life Cycle Has Only Two Chalimus Stages. PLoS ONE 8(9): e73539.

Healey M.C. 1991. Life history of chinook salmon (*Oncorhynchus tshawytscha*). In: Pacific Salmon Life Histories. C Grott, L Margolis (eds). UBC Press, Vancouver. Pp 313-393.

Jones S. and S. Johnson. 2015. Sea lice monitoring and non-chemical measures A: Biology of sea lice, *Lepeophtheirus salmonis* and *Caligus spp*., in western and eastern Canada. DFO Canadian Science Advisory Secretariat. Research Document 2014/019 Pacific Region. Pacific Biological Station, Fisheries and Oceans Canada.

Jones S. and A. Nemec. 2004. Pink Salmon Action Plan Research. Part II: Sea Lice on Juvenile Salmon and on Three-spine Sticklebacks in 2003. PSARC Working Paper H2004-01.

Johnson S.C. and L.J. Albright. 1991a. The developmental stages of *Lepeophtheirus salmonis* (Kroyer, 1837) (Copepoda: Caligidae). Canadian Journal of Zoology 69: 929-950.

Johnson S.C. and L.J. Albright. 1991b. Development, growth and survival of *Lepeophtheirus salmonis* (Copepoda: Caligidae) under laboratory conditions. Journal of the Marine Biological Association of the UK 71: 425-436.

Kabata Z. 1972. Developmental stages of *Caligus clemensi* (Copepoda: Caligidae) from fishes of British Columbia. Journal of the Fisheries Research Board of Canada 29: 1571-1593.

Kabata Z. 1974. The species of *Lepeophtheirus* (Copepoda: Caligidae), from fishes of British Columbia. Journal of the Fisheries Research Board of Canada 30: 729-759.

Margolis L., J.R. Arthur. 1979. Synopsis of the parasites of fishes of Canada. Bulletin of the Fisheries Research Board of Canada, Number 199. Ottawa. 269 pages.

McDonald T.E., and L. Margolis. 1995. Synopsis of the parasites of fishes of Canada (1978-1993). Canadian Special Publication of Fisheries and Aquatic Sciences No. 122. National Research Council of Canada, Ottawa. 265 pages.

Pacific Aquaculture Regulations. Finfish Aquaculture Licence conditions under the Pacific Aquaculture Regulations. Section 7. Sea Lice Monitoring

Parker R.R. and L. Margolis. 1964. A new species of parasitic copepod, *Caligus clemensi* sp. nov. (Clogoida: Caligidae), from pelagic fishes in the coastal waters of British Columbia. Journal of Fisheries Research Board of Canada 21: 873-889.

Pollard W.R., G.F. Hartman, C. Groot, and P. Edgell. 1997. Field Identification of Coastal Juvenile Salmonids. Published by Harbour Publishing for the Federal Department of Fisheries and Oceans and MacMillan Bloedel Ltd. Madeira Park, BC Canada.

Saksida, S., Constantine J., Karreman G.A. and Donald A. 2007a. Evaluation of sea lice abundance levels on farmed Atlantic salmon (*Salmo salar* L) located in the Broughton Archipelago of British Columbia from 2003 to 2005. Aquacult. Res. 38: 219-231.

Saksida, S., Karreman G.A., Constantine J., and Donald A. 2007b. Differences in *Lepeophtheirus salmonis* abundance levels on Atlantic salmon farms in the Broughton Archipelago, British Columbia, Canada. J. Fish Dis. 30:357-366.

Salo E.O. 1991. Life history of chum salmon (*Oncorhynchus keta*). In: Pacific Salmon Life Histories. C Grott, L Margolis (eds). UBC Press, Vancouver. Pp 233-309.

Sandercock F.K. 1991. Life history of coho salmon (*Oncorhynchus kisutch*). In: Pacific Salmon Life Histories. C. Grott, L. Margolis (eds). UBC Press, Vancouver. Pp 397-445.

Tully O. 1992. Predicting infestation parameters and impacts of caligid copepods in wild and captured fish populations. Invert. Reprod. Develop. 22: 91-102.

Appendix I – Field Data

Date	Time	Site Name	Salinity (ppt) 0.2m	Temperature (deg C.) 0.2m	Dissolved Oxygen (mg/L) 0.2m	Salinity (ppt) 1m	Temperature (deg C.) 1m	Dissolved Oxygen (mg/L) 1m
2025-04-29	14:54:00	Arthur Island	31.5	8.7	9.1	31.5	8.7	9.0
2025-04-29	17:24:00	Carter Bay	25.8	10.1	11.4	27.3	10.0	11.6
2025-04-29	10:00:00	Cougar Bay	27.5	8.5	11.5	29.3	8.5	10.9
2025-04-29	17:57:00	Goat Cove	30.5	9.5	11.2	30.5	9.4	11.9
2025-04-29	15:23:00	Hird Point	29.4	10.0	10.1	30.0	9.8	11.1
2025-04-29	08:47:00	Jackson Pass	29.4	8.7	11.4	29.8	8.7	11.6
2025-04-29	16:11:00	Kynoch Point	22.4	12.1	11.6	24.2	11.4	11.8
2025-04-29	12:28:00	Lower Laredo	30.9	10.4	10.6	31.1	9.6	11.2
2025-04-29	10:48:00	Lower Tolmie	31.2	8.3	9.4	31.3	8.2	9.2
2025-04-29	09:14:00	Mary's Cove	32.0	8.0	8.7	32.0	8.0	8.7
2025-04-29	13:24:00	Meyers Pass	30.9	9.5	10.2	31.1	9.4	10.5
2025-04-29	08:13:00	Suzy Bay	31.4	8.4	9.2	31.5	8.4	8.8
2025-04-29	11:41:00	Upper Laredo	25.5	10.3	11.1	25.3	10.2	11.4
2025-04-29	16:48:00	Windy Bay	24.9	10.7	11.6	26.5	10.9	12.1
2025-05-28	11:17:00	Arthur Island	23.1	10.6	9.8	23.6	10.5	9.8
2025-05-28	07:55:00	Carter Bay	12.8	9.6	10.7	13.5	9.6	10.0
2025-05-28	14:33:00	Cougar Bay	22.6	9.2	9.5	23.0	9.1	9.3
2025-05-28	07:11:00	Goat Cove	22.2	9.8	9.1	22.4	9.9	9.2
2025-05-28	10:35:00	Hird Point	18.4	10.9	10.1	18.5	10.0	10.0
2025-05-28	12:35:00	Jackson Pass	26.1	9.8	9.1	26.1	9.7	9.1
2025-05-28	09:35:00	Kynoch Point	14.2	10.0	10.5	14.2	10.0	10.0
2025-05-29	10:52:00	Lower Laredo	20.5	11.6	9.7	21.5	11.7	9.5
2025-05-28	13:45:00	Lower Tolmie	22.7	9.7	9.0	23.0	9.6	8.8
2025-05-28	13:02:00	Mary's Cove	24.0	10.1	9.7	24.0	10.1	9.8
2025-05-29	11:30:00	Meyers Pass	25.4	9.5	9.1	25.4	9.4	8.8
2025-05-28	12:00:00	Suzy Bay	26.1	9.7	8.8	26.1	9.7	8.7
2025-05-29	10:22:00	Upper Laredo	13.3	10.9	9.8	-	-	-
2025-05-28	08:38:00	Windy Bay	10.8	9.6	10.1	12.9	9.5	10.3

Appendix II – Capture and Collection Sample Totals

Date	Time	Site Name	Weather Comments	Tide Stage	Pink Captured	Pink Retained	Chum Captured	Chum Retained	Coho Captured	Coho Retained	Chinook Captured	Chinook Retained	Sockeye Captured	Sockeye Retained	Salmonid Mortalities	Comments
2025-04-29	14:54:00	Arthur Island	Calm, sun	High	0	0	0	0	0	0	0	0	0	0	0	Fish observed. Fish were missed during set
2025-04-29	17:24:00	Carter Bay	Calm, sun	Mid	150	33	80	30	0	0	0	0	0	0	1	Fish observed. Good set
2025-04-29	10:00:00	Cougar Bay	Calm, cloud	Low	40	30	33	30	0	0	0	0	0	0	0	Fish observed. 20 shrimp.
2025-04-29	17:57:00	Goat Cove	Calm, sun	Mid	102	30	82	30	0	0	0	0	0	0	0	Fish observed deep, attempted to set on them. 1 sanddab
2025-04-29	15:23:00	Hird Point	Calm, sun	High	800	30	1200	30	0	0	0	0	0	0	2	Fish observed. Good set
2025-04-29	08:47:00	Jackson Pass	Calm, sun	Low	0	0	0	0	0	0	0	0	0	0	0	No fish observed. 2 red rock crab, 2 gunnel, sculpin. Lots of pulverized wood approx 500m away
2025-04-29	16:11:00	Kynoch Point	Light chop, sun	High	0	0	0	0	0	0	0	0	0	0	0	Fish observed. Fish were not caught
2025-04-29	12:28:00	Lower Laredo	Sun, calm	Low	2500	32	500	28	0	0	0	0	0	0	4	Fish observed. Good set
2025-04-29	10:48:00	Lower Tolmie	Calm, cloud	Low	19	19	112	31	0	0	0	0	0	0	0	Fish observed. 2 sculpin, juvenile ling, 3 shiner perch
2025-04-29	09:14:00	Mary's Cove	Calm, sun	Low	150	31	150	30	0	0	0	0	0	0	20	Fish observed. Kelp crab, kelp greenling
2025-04-29	13:24:00	Meyers Pass	Calm, cloud	Mid	49	46	0	0	0	0	0	0	0	0	0	Fish observed. Good set
2025-04-29	08:13:00	Suzy Bay	Calm, sun	Low	0	0	0	0	0	0	0	0	0	0	0	Fish observed. Set location 2.91 km to the North
2025-04-29	11:41:00	Upper Laredo	Rain, cloud	Low	800	30	200	30	0	0	0	0	0	0	1	Fish observed. 1 sandlance
2025-04-29	16:48:00	Windy Bay	Light wind, sun	High	1200	30	800	30	0	0	0	0	0	0	10	Fish observed. Good set
2025-05-28	11:17:00	Arthur Island	Calm, cloud	Low	100	29	75	31	0	0	0	0	0	0	3	Fish observed. 6 sand dabs, 2 sculpins
2025-05-28	07:55:00	Carter Bay	Calm, cloud	Low	100	31	50	29	4	4	0	0	0	0	7	Fish observed. Good set
2025-05-28	14:33:00	Cougar Bay	Calm, cloud	High	0	0	0	0	0	0	0	0	0	0	0	Fish observed. 2 lionsmane jellyfish, sandhill crane
2025-05-28	07:11:00	Goat Cove	Calm, cloud	Low	6	6	30	30	0	0	0	0	0	0	0	No fish observed. 4 juvenile ling, 5 sculpins, 2 anchovies. Mergansers on site.
2025-05-28	10:35:00	Hird Point	Calm, cloud	Low	300	28	150	31	0	0	0	0	0	0	1	Fish observed. 1 scuplin
2025-05-28	12:35:00	Jackson Pass	Calm, cloud	Mid	0	0	0	0	0	0	0	0	0	0	0	No fish observed. Bluff set
2025-05-28	09:35:00	Kynoch Point	Calm, cloud	Low	30	30	37	30	0	0	0	0	0	0	0	Fish observed. 1 juvenile ling
2025-05-29	10:52:00	Lower Laredo	Calm, sun	Low	53	30	3	3	0	0	0	0	0	0	0	Fish observed. Good set
2025-05-28	13:45:00	Lower Tolmie	Calm, light rain	High	0	0	0	0	0	0	0	0	0	0	0	2 anchovy, 2 juvenile ling
2025-05-28	13:02:00	Mary's Cove	Calm, cloud	Mid	2000	30	1000	30	0	0	0	0	0	0	0	Fish observed. Few snags, 1 sandlance
2025-05-29	11:30:00	Meyers Pass	Calm, cloud	Low	97	29	18	18	4	4	0	0	0	0	4	Fish observed. 100 shrimp, 50 pipefish
2025-05-28	12:00:00	Suzy Bay	Swell, cloud	Mid	0	0	0	0	0	0	0	0	0	0	0	Large amount of ctenophores in bunt clogging the mesh
2025-05-29	10:22:00	Upper Laredo	Sun, light chop	Low	0	0	0	0	0	0	0	0	0	0	0	No fish observed. 30 shiner perch, 5 tubesnout, 1 greenling
2025-05-28	08:38:00	Windy Bay	Calm, cloud	Low	100	30	50	30	1	1	0	0	0	0	0	Fish observed. 1 shiner perch

Appendix III – Sea Lice Analysis

Date Collected (yyyy-mm-dd)	Site Name	Fish Species	Length (mm)	Weight (g)	LEP Co	LEP C1	LEP C2	LEP PAM	LEP PAF	LEP AM	LEP AF	LEP Total	Cal Co	Cal C1	Cal C2	Cal C3	Cal C4	CAL PAM	CAL PAF	CAL AM	CAL AF	CAL Total	Total Lice
2025-04-29	Upper Laredo	Chum	49	1.33								0										0	0
2025-04-29	Upper Laredo	Chum	54	1.73								0										0	0
2025-04-29	Upper Laredo	Chum	52	1.48								0										0	0
2025-04-29	Upper Laredo	Chum	46	1.11								0										0	0
2025-04-29	Upper Laredo	Chum	51	1.3								0										0	0
2025-04-29	Upper Laredo	Chum	57	2.51								0										0	0
2025-04-29	Upper Laredo	Chum	48	1.11								0										0	0
2025-04-29	Upper Laredo	Chum	54	1.6								0										0	0
2025-04-29	Upper Laredo	Chum	53	1.61								0										0	0
2025-04-29	Upper Laredo	Chum	52	1.57								0										0	0
2025-04-29	Upper Laredo	Chum	53	1.71								0										0	0
2025-04-29	Upper Laredo	Chum	55	1.21								0										0	0
2025-04-29	Upper Laredo	Chum	52	1.55								0										0	0
2025-04-29	Upper Laredo	Chum	53	1.67								0										0	0
2025-04-29	Upper Laredo	Chum	50	1.33								0										0	0
2025-04-29	Upper Laredo	Chum	42	0.72								0										0	0
2025-04-29	Upper Laredo	Chum	54	1.75								0										0	0
2025-04-29	Upper Laredo	Chum	59	2.17								0										0	0
2025-04-29	Upper Laredo	Chum	54	1.68								0										0	0
2025-04-29	Upper Laredo	Chum	56	1.69								0										0	0
2025-04-29	Upper Laredo	Chum	42	0.79								0										0	0
2025-04-29	Upper Laredo	Chum	48	1.24								0										0	0
2025-04-29	Upper Laredo	Chum	59	2.11								0										0	0
2025-04-29	Upper Laredo	Chum	50	1.46								0										0	0
2025-04-29	Upper Laredo	Chum	50	1.2								0										0	0
2025-04-29	Upper Laredo	Chum	57	2.2								0										0	0
2025-04-29	Upper Laredo	Chum	52	1.8								0										0	0
2025-04-29	Upper Laredo	Chum	51	1.41								0										0	0
2025-04-29	Upper Laredo	Chum	55	1.88								0										0	0

Date Collected (yyyy-mm-dd)	Site Name	Fish Species	Length (mm)	Weight (g)	LEP Co	LEP C1	LEP C2	LEP PAM	LEP PAF	LEP AM	LEP AF	LEP Total	Cal Co	Cal C1	Cal C2	Cal C3	Cal C4	CAL PAM	CAL PAF	CAL AM	CAL AF	CAL Total	Total Lice
2025-04-29	Upper Laredo	Chum	55	1.57								0										0	0
2025-04-29	Upper Laredo	Pink	46	0.77								0										0	0
2025-04-29	Upper Laredo	Pink	49	1								0										0	0
2025-04-29	Upper Laredo	Pink	49	1.08								0										0	0
2025-04-29	Upper Laredo	Pink	55	1.66								0										0	0
2025-04-29	Upper Laredo	Pink	55	1.94								0										0	0
2025-04-29	Upper Laredo	Pink	48	1.02								0										0	0
2025-04-29	Upper Laredo	Pink	38	0.37								0										0	0
2025-04-29	Upper Laredo	Pink	60	2.18								0										0	0
2025-04-29	Upper Laredo	Pink	48	0.94								0										0	0
2025-04-29	Upper Laredo	Pink	50	1.11								0										0	0
2025-04-29	Upper Laredo	Pink	59	1.77								0										0	0
2025-04-29	Upper Laredo	Pink	47	0.9								0										0	0
2025-04-29	Upper Laredo	Pink	55	1.37								0										0	0
2025-04-29	Upper Laredo	Pink	48	1.07								0										0	0
2025-04-29	Upper Laredo	Pink	47	0.91								0										0	0
2025-04-29	Upper Laredo	Pink	49	1.26								0										0	0
2025-04-29	Upper Laredo	Pink	51	1.28								0										0	0
2025-04-29	Upper Laredo	Pink	51	1.18								0										0	0
2025-04-29	Upper Laredo	Pink	53	1.3								0										0	0
2025-04-29	Upper Laredo	Pink	47	0.86								0										0	0
2025-04-29	Upper Laredo	Pink	51	1.15								0										0	0
2025-04-29	Upper Laredo	Pink	60	1.93								0										0	0
2025-04-29	Upper Laredo	Pink	60	2.18								0										0	0
2025-04-29	Upper Laredo	Pink	50	1.09								0										0	0
2025-04-29	Upper Laredo	Pink	49	1.06								0										0	0
2025-04-29	Upper Laredo	Pink	48	0.97								0										0	0
2025-04-29	Upper Laredo	Pink	56	1.56								0										0	0
2025-04-29	Upper Laredo	Pink	61	2.01								0										0	0
2025-04-29	Upper Laredo	Pink	52	1.41								0										0	0
2025-04-29	Upper Laredo	Pink	59	1.88								0										0	0

Date Collected (yyyy-mm-dd)	Site Name	Fish Species	Length (mm)	Weight (g)	LEP Co	LEP C1	LEP C2	LEP PAM	LEP PAF	LEP AM	LEP AF	LEP Total	Cal Co	Cal C1	Cal C2	Cal C3	Cal C4	CAL PAM	CAL PAF	CAL AM	CAL AF	CAL Total	Total Lice
2025-04-29	Carter Bay	Chum	37	0.32								0										0	0
2025-04-29	Carter Bay	Chum	35	0.29								0										0	0
2025-04-29	Carter Bay	Chum	38	0.41								0										0	0
2025-04-29	Carter Bay	Chum	38	0.5								0										0	0
2025-04-29	Carter Bay	Chum	37	0.4								0										0	0
2025-04-29	Carter Bay	Chum	36	0.44								0										0	0
2025-04-29	Carter Bay	Chum	38	0.37								0										0	0
2025-04-29	Carter Bay	Chum	34	0.25								0										0	0
2025-04-29	Carter Bay	Chum	38	0.44								0										0	0
2025-04-29	Carter Bay	Chum	39	0.53								0										0	0
2025-04-29	Carter Bay	Chum	36	0.49								0										0	0
2025-04-29	Carter Bay	Chum	44	0.71								0										0	0
2025-04-29	Carter Bay	Chum	44	0.78		2						2										0	2
2025-04-29	Carter Bay	Chum	43	0.69								0										0	0
2025-04-29	Carter Bay	Chum	38	0.38								0										0	0
2025-04-29	Carter Bay	Chum	37	0.38								0										0	0
2025-04-29	Carter Bay	Chum	37	0.38								0										0	0
2025-04-29	Carter Bay	Chum	45	0.68								0										0	0
2025-04-29	Carter Bay	Chum	40	0.56								0										0	0
2025-04-29	Carter Bay	Chum	43	0.63								0										0	0
2025-04-29	Carter Bay	Chum	41	0.61								0										0	0
2025-04-29	Carter Bay	Chum	36	0.26								0										0	0
2025-04-29	Carter Bay	Chum	36	0.39								0										0	0
2025-04-29	Carter Bay	Chum	39	0.41								0										0	0
2025-04-29	Carter Bay	Chum	41	0.73								0										0	0
2025-04-29	Carter Bay	Chum	45	0.81								0										0	0
2025-04-29	Carter Bay	Chum	39	0.43								0										0	0
2025-04-29	Carter Bay	Chum	40	0.56								0										0	0
2025-04-29	Carter Bay	Chum	40	0.55								0										0	0
2025-04-29	Carter Bay	Chum	45	0.73								0										0	0
2025-04-29	Carter Bay	Chum	40	0.46								0										0	0
2025-04-29	Carter Bay	Pink	32	0.17								0										0	0

Date Collected (yyyy-mm-dd)	Site Name	Fish Species	Length (mm)	Weight (g)	LEP Co	LEP C1	LEP C2	LEP PAM	LEP PAF	LEP AM	LEP AF	LEP Total	Cal Co	Cal C1	Cal C2	Cal C3	Cal C4	CAL PAM	CAL PAF	CAL AM	CAL AF	CAL Total	Total Lice
2025-04-29	Carter Bay	Pink	31	0.14								0										0	0
2025-04-29	Carter Bay	Pink	45	0.63								0										0	0
2025-04-29	Carter Bay	Pink	31	0.26								0										0	0
2025-04-29	Carter Bay	Pink	35	0.3								0										0	0
2025-04-29	Carter Bay	Pink	37	0.45								0										0	0
2025-04-29	Carter Bay	Pink	36	0.28								0										0	0
2025-04-29	Carter Bay	Pink	44	0.65								0										0	0
2025-04-29	Carter Bay	Pink	34	0.29								0										0	0
2025-04-29	Carter Bay	Pink	35	0.28								0										0	0
2025-04-29	Carter Bay	Pink	34	0.41								0										0	0
2025-04-29	Carter Bay	Pink	37	0.41								0										0	0
2025-04-29	Carter Bay	Pink	34	0.27								0										0	0
2025-04-29	Carter Bay	Pink	32	0.21								0										0	0
2025-04-29	Carter Bay	Pink	45	0.51								0										0	0
2025-04-29	Carter Bay	Pink	37	0.34								0										0	0
2025-04-29	Carter Bay	Pink	48	0.8			1					1										0	1
2025-04-29	Carter Bay	Pink	38	0.49								0										0	0
2025-04-29	Carter Bay	Pink	38	0.45								0										0	0
2025-04-29	Carter Bay	Pink	48	0.9								0										0	0
2025-04-29	Carter Bay	Pink	33	0.31								0										0	0
2025-04-29	Carter Bay	Pink	37	0.33								0										0	0
2025-04-29	Carter Bay	Pink	37	0.35								0										0	0
2025-04-29	Carter Bay	Pink	40	0.59								0										0	0
2025-04-29	Carter Bay	Pink	35	0.35								0										0	0
2025-04-29	Carter Bay	Pink	35	0.41								0										0	0
2025-04-29	Carter Bay	Pink	35	0.34								0										0	0
2025-04-29	Carter Bay	Pink	37	0.4								0										0	0
2025-04-29	Carter Bay	Pink	34	0.24								0										0	0
2025-04-29	Carter Bay	Pink	34	0.29								0										0	0
2025-04-29	Carter Bay	Pink	45	0.62			1					1										0	1
2025-04-29	Carter Bay	Pink	34	0.26								0										0	0

Date Collected (yyyy-mm-dd)	Site Name	Fish Species	Length (mm)	Weight (g)	LEP Co	LEP C1	LEP C2	LEP PAM	LEP PAF	LEP AM	LEP AF	LEP Total	Cal Co	Cal C1	Cal C2	Cal C3	Cal C4	CAL PAM	CAL PAF	CAL AM	CAL AF	CAL Total	Total Lice
2025-04-29	Carter Bay	Pink	35	0.33								0										0	0
2025-04-29	Lower Tolmie	Chum	38	0.53								0										0	0
2025-04-29	Lower Tolmie	Chum	36	0.42								0										0	0
2025-04-29	Lower Tolmie	Chum	42	0.61								0										0	0
2025-04-29	Lower Tolmie	Chum	40	0.61								0										0	0
2025-04-29	Lower Tolmie	Chum	41	0.69								0										0	0
2025-04-29	Lower Tolmie	Chum	35	0.4								0										0	0
2025-04-29	Lower Tolmie	Chum	38	0.43								0										0	0
2025-04-29	Lower Tolmie	Chum	39	0.49								0										0	0
2025-04-29	Lower Tolmie	Chum	39	0.53								0										0	0
2025-04-29	Lower Tolmie	Chum	42	0.73								0										0	0
2025-04-29	Lower Tolmie	Chum	37	0.41								0										0	0
2025-04-29	Lower Tolmie	Chum	43	0.63								0										0	0
2025-04-29	Lower Tolmie	Chum	40	0.59								0										0	0
2025-04-29	Lower Tolmie	Chum	34	0.34								0										0	0
2025-04-29	Lower Tolmie	Chum	42	0.66		1						1										0	1
2025-04-29	Lower Tolmie	Chum	39	0.62								0										0	0
2025-04-29	Lower Tolmie	Chum	46	0.91								0		1								1	1
2025-04-29	Lower Tolmie	Chum	39	0.51								0										0	0
2025-04-29	Lower Tolmie	Chum	41	0.52								0										0	0
2025-04-29	Lower Tolmie	Chum	42	0.51								0										0	0
2025-04-29	Lower Tolmie	Chum	39	0.49								0										0	0
2025-04-29	Lower Tolmie	Chum	45	0.72								0										0	0
2025-04-29	Lower Tolmie	Chum	45	0.7								0										0	0
2025-04-29	Lower Tolmie	Chum	38	0.54								0										0	0
2025-04-29	Lower Tolmie	Chum	35	0.37								0										0	0
2025-04-29	Lower Tolmie	Chum	48	1.11								0										0	0
2025-04-29	Lower Tolmie	Chum	46	0.6								0										0	0
2025-04-29	Lower Tolmie	Chum	42	0.63								0										0	0
2025-04-29	Lower Tolmie	Chum	40	0.46								0										0	0
2025-04-29	Lower Tolmie	Chum	41	0.65								0										0	0

Date Collected (yyyy-mm-dd)	Site Name	Fish Species	Length (mm)	Weight (g)	LEP Co	LEP C1	LEP C2	LEP PAM	LEP PAF	LEP AM	LEP AF	LEP Total	Cal Co	Cal C1	Cal C2	Cal C3	Cal C4	CAL PAM	CAL PAF	CAL AM	CAL AF	CAL Total	Total Lice
2025-04-29	Lower Tolmie	Chum	51	0.78								0										0	0
2025-04-29	Lower Tolmie	Pink	33	0.32								0										0	0
2025-04-29	Lower Tolmie	Pink	38	0.55								0										0	0
2025-04-29	Lower Tolmie	Pink	43	0.76								0			1							1	1
2025-04-29	Lower Tolmie	Pink	42	0.68								0			1							1	1
2025-04-29	Lower Tolmie	Pink	47	0.91								0										0	0
2025-04-29	Lower Tolmie	Pink	37	0.37								0										0	0
2025-04-29	Lower Tolmie	Pink	48	1.01								0										0	0
2025-04-29	Lower Tolmie	Pink	47	0.96								0		1								1	1
2025-04-29	Lower Tolmie	Pink	36	0.38								0		1								1	1
2025-04-29	Lower Tolmie	Pink	37	0.55								0										0	0
2025-04-29	Lower Tolmie	Pink	38	0.48								0										0	0
2025-04-29	Lower Tolmie	Pink	40	0.62								0										0	0
2025-04-29	Lower Tolmie	Pink	49	0.95								0										0	0
2025-04-29	Lower Tolmie	Pink	43	0.7								0										0	0
2025-04-29	Lower Tolmie	Pink	41	0.6								0										0	0
2025-04-29	Lower Tolmie	Pink	47	0.91								0										0	0
2025-04-29	Lower Tolmie	Pink	49	1.05								0										0	0
2025-04-29	Lower Tolmie	Pink	48	0.66								0										0	0
2025-04-29	Lower Tolmie	Pink	47	0.95								0										0	0
2025-04-29	Lower Laredo	Chum	46	0.95								0										0	0
2025-04-29	Lower Laredo	Chum	48	0.94								0										0	0
2025-04-29	Lower Laredo	Chum	48	1.07								0										0	0
2025-04-29	Lower Laredo	Chum	42	0.75								0										0	0
2025-04-29	Lower Laredo	Chum	47	0.92		1						1										0	1
2025-04-29	Lower Laredo	Chum	58	1.67		1	1					2										0	2
2025-04-29	Lower Laredo	Chum	54	1.44								0										0	0
2025-04-29	Lower Laredo	Chum	53	1.35								0										0	0
2025-04-29	Lower Laredo	Chum	51	1.31								0										0	0
2025-04-29	Lower Laredo	Chum	43	0.82								0										0	0
2025-04-29	Lower Laredo	Chum	51	1.16								0										0	0

Date Collected (yyyy-mm-dd)	Site Name	Fish Species	Length (mm)	Weight (g)	LEP Co	LEP C1	LEP C2	LEP PAM	LEP PAF	LEP AM	LEP AF	LEP Total	Cal Co	Cal C1	Cal C2	Cal C3	Cal C4	CAL PAM	CAL PAF	CAL AM	CAL AF	CAL Total	Total Lice
2025-04-29	Lower Laredo	Chum	48	0.96								0		1								1	1
2025-04-29	Lower Laredo	Chum	63	2.53								0								1		1	1
2025-04-29	Lower Laredo	Chum	53	1.4								0										0	0
2025-04-29	Lower Laredo	Chum	55	1.63		1						1					1					1	2
2025-04-29	Lower Laredo	Chum	76	4.15								0								1		1	1
2025-04-29	Lower Laredo	Chum	61	2.32			1					1					1					1	2
2025-04-29	Lower Laredo	Chum	44	0.93			1					1										0	0
2025-04-29	Lower Laredo	Chum	46	0.96								0		1								1	1
2025-04-29	Lower Laredo	Chum	37	0.49								0										0	0
2025-04-29	Lower Laredo	Chum	53	1.54								0										0	0
2025-04-29	Lower Laredo	Chum	63	2.77			1					1	1									1	2
2025-04-29	Lower Laredo	Chum	45	0.94								0										0	0
2025-04-29	Lower Laredo	Chum	57	1.9								0										0	0
2025-04-29	Lower Laredo	Chum	70	3.19								0					1			1		2	2
2025-04-29	Lower Laredo	Chum	57	2.16	1	1						2			1							1	3
2025-04-29	Lower Laredo	Chum	51	1.44								0										0	0
2025-04-29	Lower Laredo	Chum	45	0.98								0										0	0
2025-04-29	Lower Laredo	Pink	50	1								0										0	0
2025-04-29	Lower Laredo	Pink	45	0.65								0										0	0
2025-04-29	Lower Laredo	Pink	52	1.21								0										0	0
2025-04-29	Lower Laredo	Pink	42	0.75								0										0	0
2025-04-29	Lower Laredo	Pink	60	1.84								0										0	0
2025-04-29	Lower Laredo	Pink	48	1.01								0										0	0
2025-04-29	Lower Laredo	Pink	44	0.79								0										0	0
2025-04-29	Lower Laredo	Pink	59	2.01								0										0	0
2025-04-29	Lower Laredo	Pink	44	0.75								0										0	0
2025-04-29	Lower Laredo	Pink	75	3.35								0										0	0
2025-04-29	Lower Laredo	Pink	45	0.9								0										0	0
2025-04-29	Lower Laredo	Pink	41	0.56								0										0	0
2025-04-29	Lower Laredo	Pink	38	0.57								0										0	0
2025-04-29	Lower Laredo	Pink	43	0.58								0										0	0

Date Collected (yyyy-mm-dd)	Site Name	Fish Species	Length (mm)	Weight (g)	LEP Co	LEP C1	LEP C2	LEP PAM	LEP PAF	LEP AM	LEP AF	LEP Total	Cal Co	Cal C1	Cal C2	Cal C3	Cal C4	CAL PAM	CAL PAF	CAL AM	CAL AF	CAL Total	Total Lice
2025-04-29	Lower Laredo	Pink	49	1.15		1						1										0	1
2025-04-29	Lower Laredo	Pink	54	1.04								0										0	0
2025-04-29	Lower Laredo	Pink	46	0.8								0										0	0
2025-04-29	Lower Laredo	Pink	50	1.05								0										0	0
2025-04-29	Lower Laredo	Pink	57	1.65								0										0	0
2025-04-29	Lower Laredo	Pink	44	0.63								0										0	0
2025-04-29	Lower Laredo	Pink	44	0.65								0										0	0
2025-04-29	Lower Laredo	Pink	45	0.85								0					1					1	1
2025-04-29	Lower Laredo	Pink	40	0.81				1				1										0	0
2025-04-29	Lower Laredo	Pink	40	0.56								0										0	0
2025-04-29	Lower Laredo	Pink	45	0.71								0										0	0
2025-04-29	Lower Laredo	Pink	55	1.49								0										0	0
2025-04-29	Lower Laredo	Pink	58	1.73		1	1					2										0	2
2025-04-29	Lower Laredo	Pink	45	0.77								0										0	0
2025-04-29	Lower Laredo	Pink	41	0.5								0										0	0
2025-04-29	Lower Laredo	Pink	47	0.9								0										0	0
2025-04-29	Lower Laredo	Pink	48	1.25								0										0	0
2025-04-29	Lower Laredo	Pink	48	1.17								0										0	0
2025-04-29	Cougar Bay	Chum	42	0.73								0										0	0
2025-04-29	Cougar Bay	Chum	45	0.94			1					1										0	0
2025-04-29	Cougar Bay	Chum	37	0.51								0										0	0
2025-04-29	Cougar Bay	Chum	43	0.89								0										0	0
2025-04-29	Cougar Bay	Chum	41	0.79								0										0	0
2025-04-29	Cougar Bay	Chum	42	0.68								0										0	0
2025-04-29	Cougar Bay	Chum	49	1.41								0										0	0
2025-04-29	Cougar Bay	Chum	39	0.64								0										0	0
2025-04-29	Cougar Bay	Chum	43	0.79								0										0	0
2025-04-29	Cougar Bay	Chum	40	0.67								0										0	0
2025-04-29	Cougar Bay	Chum	46	0.84								0										0	0
2025-04-29	Cougar Bay	Chum	40	0.68								0										0	0
2025-04-29	Cougar Bay	Chum	43	0.76								0										0	0

Date Collected (yyyy-mm-dd)	Site Name	Fish Species	Length (mm)	Weight (g)	LEP Co	LEP C1	LEP C2	LEP PAM	LEP PAF	LEP AM	LEP AF	LEP Total	Cal Co	Cal C1	Cal C2	Cal C3	Cal C4	CAL PAM	CAL PAF	CAL AM	CAL AF	CAL Total	Total Lice
2025-04-29	Cougar Bay	Chum	44	0.93								0										0	0
2025-04-29	Cougar Bay	Chum	46	1.1								0										0	0
2025-04-29	Cougar Bay	Chum	41	0.75								0										0	0
2025-04-29	Cougar Bay	Chum	45	0.93								0										0	0
2025-04-29	Cougar Bay	Chum	38	0.5								0										0	0
2025-04-29	Cougar Bay	Chum	39	0.7								0										0	0
2025-04-29	Cougar Bay	Chum	47	1.08								0										0	0
2025-04-29	Cougar Bay	Chum	46	1.15								0		1								1	1
2025-04-29	Cougar Bay	Chum	45	1								0										0	0
2025-04-29	Cougar Bay	Chum	45	1								0										0	0
2025-04-29	Cougar Bay	Chum	41	0.69								0										0	0
2025-04-29	Cougar Bay	Chum	42	0.73								0										0	0
2025-04-29	Cougar Bay	Chum	48	1.15								0										0	0
2025-04-29	Cougar Bay	Chum	46	1.08								0										0	0
2025-04-29	Cougar Bay	Chum	49	1.29								0										0	0
2025-04-29	Cougar Bay	Chum	45	0.95								0										0	0
2025-04-29	Cougar Bay	Chum	44	0.97								0										0	0
2025-04-29	Cougar Bay	Pink	34	0.28								0										0	0
2025-04-29	Cougar Bay	Pink	42	0.66								0										0	0
2025-04-29	Cougar Bay	Pink	42	0.69								0										0	0
2025-04-29	Cougar Bay	Pink	42	0.73								0										0	0
2025-04-29	Cougar Bay	Pink	41	0.61								0										0	0
2025-04-29	Cougar Bay	Pink	38	0.51								0										0	0
2025-04-29	Cougar Bay	Pink	39	0.54		1						1										0	1
2025-04-29	Cougar Bay	Pink	42	0.67								0										0	0
2025-04-29	Cougar Bay	Pink	40	0.7								0										0	0
2025-04-29	Cougar Bay	Pink	46	0.92								0										0	0
2025-04-29	Cougar Bay	Pink	34	0.32								0										0	0
2025-04-29	Cougar Bay	Pink	40	0.77								0										0	0
2025-04-29	Cougar Bay	Pink	40	0.72		1						1										0	1
2025-04-29	Cougar Bay	Pink	39	0.36								0										0	0

Date Collected (yyyy-mm-dd)	Site Name	Fish Species	Length (mm)	Weight (g)	LEP Co	LEP C1	LEP C2	LEP PAM	LEP PAF	LEP AM	LEP AF	LEP Total	Cal Co	Cal C1	Cal C2	Cal C3	Cal C4	CAL PAM	CAL PAF	CAL AM	CAL AF	CAL Total	Total Lice
2025-04-29	Cougar Bay	Pink	41	0.61								0										0	0
2025-04-29	Cougar Bay	Pink	47	0.85								0										0	0
2025-04-29	Cougar Bay	Pink	34	0.34								0										0	0
2025-04-29	Cougar Bay	Pink	48	1.16								0										0	0
2025-04-29	Cougar Bay	Pink	38	0.51								0										0	0
2025-04-29	Cougar Bay	Pink	43	0.77								0										0	0
2025-04-29	Cougar Bay	Pink	42	0.7								0										0	0
2025-04-29	Cougar Bay	Pink	44	0.82								0										0	0
2025-04-29	Cougar Bay	Pink	43	0.8								0										0	0
2025-04-29	Cougar Bay	Pink	49	1.29								0										0	0
2025-04-29	Cougar Bay	Pink	43	0.74								0										0	0
2025-04-29	Cougar Bay	Pink	43	0.87								0										0	0
2025-04-29	Cougar Bay	Pink	40	0.65								0										0	0
2025-04-29	Cougar Bay	Pink	45	0.84								0										0	0
2025-04-29	Cougar Bay	Pink	51	1.27								0										0	0
2025-04-29	Cougar Bay	Pink	48	1.05								0										0	0
2025-04-29	Windy Bay	Chum	52	1.26								0										0	0
2025-04-29	Windy Bay	Chum	42	0.87								0										0	0
2025-04-29	Windy Bay	Chum	47	1.03								0										0	0
2025-04-29	Windy Bay	Chum	48	1.39								0										0	0
2025-04-29	Windy Bay	Chum	52	1.4								0										0	0
2025-04-29	Windy Bay	Chum	51	1.48								0										0	0
2025-04-29	Windy Bay	Chum	45	0.89								0										0	0
2025-04-29	Windy Bay	Chum	42	0.6								0										0	0
2025-04-29	Windy Bay	Chum	39	0.46								0										0	0
2025-04-29	Windy Bay	Chum	47	1.01								0										0	0
2025-04-29	Windy Bay	Chum	40	0.56								0										0	0
2025-04-29	Windy Bay	Chum	49	1.01								0	1									1	1
2025-04-29	Windy Bay	Chum	48	1.13								0										0	0
2025-04-29	Windy Bay	Chum	40	0.63								0										0	0
2025-04-29	Windy Bay	Chum	44	0.91		1						1										0	1

Date Collected (yyyy-mm-dd)	Site Name	Fish Species	Length (mm)	Weight (g)	LEP Co	LEP C1	LEP C2	LEP PAM	LEP PAF	LEP AM	LEP AF	LEP Total	Cal Co	Cal C1	Cal C2	Cal C3	Cal C4	CAL PAM	CAL PAF	CAL AM	CAL AF	CAL Total	Total Lice
2025-04-29	Windy Bay	Chum	46	1.09								0										0	0
2025-04-29	Windy Bay	Chum	47	1.19								0										0	0
2025-04-29	Windy Bay	Chum	41	0.73								0										0	0
2025-04-29	Windy Bay	Chum	47	1.05								0										0	0
2025-04-29	Windy Bay	Chum	52	1.48								0										0	0
2025-04-29	Windy Bay	Chum	38	0.49								0										0	0
2025-04-29	Windy Bay	Chum	56	1.92								0										0	0
2025-04-29	Windy Bay	Chum	46	1.03								0										0	0
2025-04-29	Windy Bay	Chum	40	0.68								0										0	0
2025-04-29	Windy Bay	Chum	40	0.61								0										0	0
2025-04-29	Windy Bay	Chum	49	1.42								0										0	0
2025-04-29	Windy Bay	Chum	42	0.91								0										0	0
2025-04-29	Windy Bay	Chum	58	2.3								0										0	0
2025-04-29	Windy Bay	Chum	52	1.53								0										0	0
2025-04-29	Windy Bay	Chum	51	1.6								0										0	0
2025-04-29	Windy Bay	Pink	45	0.85								0										0	0
2025-04-29	Windy Bay	Pink	54	1.41								0										0	0
2025-04-29	Windy Bay	Pink	51	1.26								0										0	0
2025-04-29	Windy Bay	Pink	43	0.71								0										0	0
2025-04-29	Windy Bay	Pink	48	0.97								0										0	0
2025-04-29	Windy Bay	Pink	40	0.55								0										0	0
2025-04-29	Windy Bay	Pink	47	0.93								0										0	0
2025-04-29	Windy Bay	Pink	43	0.78								0										0	0
2025-04-29	Windy Bay	Pink	43	0.78								0										0	0
2025-04-29	Windy Bay	Pink	45	0.82								0										0	0
2025-04-29	Windy Bay	Pink	42	0.61		1						1										0	1
2025-04-29	Windy Bay	Pink	44	0.82								0										0	0
2025-04-29	Windy Bay	Pink	56	1.79								0										0	0
2025-04-29	Windy Bay	Pink	35	0.39								0										0	0
2025-04-29	Windy Bay	Pink	40	0.57								0										0	0
2025-04-29	Windy Bay	Pink	48	1.04								0										0	0

Date Collected (yyyy-mm-dd)	Site Name	Fish Species	Length (mm)	Weight (g)	LEP Co	LEP C1	LEP C2	LEP PAM	LEP PAF	LEP AM	LEP AF	LEP Total	Cal Co	Cal C1	Cal C2	Cal C3	Cal C4	CAL PAM	CAL PAF	CAL AM	CAL AF	CAL Total	Total Lice
2025-04-29	Windy Bay	Pink	53	1.36								0										0	0
2025-04-29	Windy Bay	Pink	44	0.82								0										0	0
2025-04-29	Windy Bay	Pink	40	0.66								0										0	0
2025-04-29	Windy Bay	Pink	48	0.99								0										0	0
2025-04-29	Windy Bay	Pink	46	0.88								0										0	0
2025-04-29	Windy Bay	Pink	41	0.75								0										0	0
2025-04-29	Windy Bay	Pink	39	0.52								0										0	0
2025-04-29	Windy Bay	Pink	50	1.2								0										0	0
2025-04-29	Windy Bay	Pink	44	0.87								0										0	0
2025-04-29	Windy Bay	Pink	50	0.94								0										0	0
2025-04-29	Windy Bay	Pink	46	0.9								0										0	0
2025-04-29	Windy Bay	Pink	41	0.48								0										0	0
2025-04-29	Windy Bay	Pink	52	1.46								0										0	0
2025-04-29	Windy Bay	Pink	39	0.56								0										0	0
2025-04-29	Hird Point	Chum	47	1.14								0			1							1	1
2025-04-29	Hird Point	Chum	45	0.85								0										0	0
2025-04-29	Hird Point	Chum	45	1.03								0										0	0
2025-04-29	Hird Point	Chum	48	1.15								0										0	0
2025-04-29	Hird Point	Chum	44	0.78								0										0	0
2025-04-29	Hird Point	Chum	43	0.79								0										0	0
2025-04-29	Hird Point	Chum	50	1.13								0										0	0
2025-04-29	Hird Point	Chum	43	0.81								0			1							1	1
2025-04-29	Hird Point	Chum	42	0.84								0										0	0
2025-04-29	Hird Point	Chum	50	1.39								0										0	0
2025-04-29	Hird Point	Chum	45	0.8								0										0	0
2025-04-29	Hird Point	Chum	48	1.16								0										0	0
2025-04-29	Hird Point	Chum	43	0.91								0										0	0
2025-04-29	Hird Point	Chum	44	0.94								0										0	0
2025-04-29	Hird Point	Chum	43	0.88								0										0	0
2025-04-29	Hird Point	Chum	44	1.05								0										0	0
2025-04-29	Hird Point	Chum	43	0.98								0										0	0

Date Collected (yyyy-mm-dd)	Site Name	Fish Species	Length (mm)	Weight (g)	LEP Co	LEP C1	LEP C2	LEP PAM	LEP PAF	LEP AM	LEP AF	LEP Total	Cal Co	Cal C1	Cal C2	Cal C3	Cal C4	CAL PAM	CAL PAF	CAL AM	CAL AF	CAL Total	Total Lice
2025-04-29	Hird Point	Chum	44	1								0										0	0
2025-04-29	Hird Point	Chum	46	1.08								0										0	0
2025-04-29	Hird Point	Chum	46	1.13								0										0	0
2025-04-29	Hird Point	Chum	48	1.28								0										0	0
2025-04-29	Hird Point	Chum	44	0.92								0										0	0
2025-04-29	Hird Point	Chum	50	1.42								0										0	0
2025-04-29	Hird Point	Chum	45	1.14								0										0	0
2025-04-29	Hird Point	Chum	44	1.07								0										0	0
2025-04-29	Hird Point	Chum	53	1.6								0										0	0
2025-04-29	Hird Point	Chum	42	0.86								0										0	0
2025-04-29	Hird Point	Chum	42	0.86								0										0	0
2025-04-29	Hird Point	Chum	49	1.47								0				1						1	1
2025-04-29	Hird Point	Chum	41	0.87								0										0	0
2025-04-29	Hird Point	Pink	43	0.7								0										0	0
2025-04-29	Hird Point	Pink	38	0.53								0										0	0
2025-04-29	Hird Point	Pink	43	0.74		1						1										0	1
2025-04-29	Hird Point	Pink	49	1.23								0										0	0
2025-04-29	Hird Point	Pink	33	0.34								0										0	0
2025-04-29	Hird Point	Pink	49	1.16								0										0	0
2025-04-29	Hird Point	Pink	42	0.69								0										0	0
2025-04-29	Hird Point	Pink	37	0.36								0										0	0
2025-04-29	Hird Point	Pink	44	0.78								0										0	0
2025-04-29	Hird Point	Pink	43	0.66								0										0	0
2025-04-29	Hird Point	Pink	53	1.69								0										0	0
2025-04-29	Hird Point	Pink	42	0.62								0										0	0
2025-04-29	Hird Point	Pink	48	1.05			1					1										0	1
2025-04-29	Hird Point	Pink	43	0.75								0										0	0
2025-04-29	Hird Point	Pink	38	0.54								0										0	0
2025-04-29	Hird Point	Pink	48	1.08								0										0	0
2025-04-29	Hird Point	Pink	44	0.92			1					1										0	1
2025-04-29	Hird Point	Pink	43	0.69								0				1						1	1

Date Collected (yyyy-mm-dd)	Site Name	Fish Species	Length (mm)	Weight (g)	LEP Co	LEP C1	LEP C2	LEP PAM	LEP PAF	LEP AM	LEP AF	LEP Total	Cal Co	Cal C1	Cal C2	Cal C3	Cal C4	CAL PAM	CAL PAF	CAL AM	CAL AF	CAL Total	Total Lice
2025-04-29	Hird Point	Pink	47	0.87								0										0	0
2025-04-29	Hird Point	Pink	48	1.09								0										0	0
2025-04-29	Hird Point	Pink	50	1.15								0										0	0
2025-04-29	Hird Point	Pink	43	0.86								0										0	0
2025-04-29	Hird Point	Pink	47	1.04								0										0	0
2025-04-29	Hird Point	Pink	54	1.5								0										0	0
2025-04-29	Hird Point	Pink	43	0.79								0										0	0
2025-04-29	Hird Point	Pink	45	0.91								0										0	0
2025-04-29	Hird Point	Pink	58	2.02								0										0	0
2025-04-29	Hird Point	Pink	48	1.09								0										0	0
2025-04-29	Hird Point	Pink	50	1.29								0										0	0
2025-04-29	Hird Point	Pink	45	1.07								0										0	0
2025-04-29	Mary's Cove	Chum	40	0.66								0										0	0
2025-04-29	Mary's Cove	Chum	34	0.38								0										0	0
2025-04-29	Mary's Cove	Chum	38	0.4		1						1										0	1
2025-04-29	Mary's Cove	Chum	43	0.77								0										0	0
2025-04-29	Mary's Cove	Chum	37	0.54								0										0	0
2025-04-29	Mary's Cove	Chum	35	0.37								0										0	0
2025-04-29	Mary's Cove	Chum	40	0.68	2	1						3										0	3
2025-04-29	Mary's Cove	Chum	38	0.57								0	1									1	1
2025-04-29	Mary's Cove	Chum	30	0.26								0										0	0
2025-04-29	Mary's Cove	Chum	37	0.58								0										0	0
2025-04-29	Mary's Cove	Chum	34	0.34								0										0	0
2025-04-29	Mary's Cove	Chum	38	0.51								0										0	0
2025-04-29	Mary's Cove	Chum	35	0.44								0										0	0
2025-04-29	Mary's Cove	Chum	38	0.54								0		1								1	1
2025-04-29	Mary's Cove	Chum	46	1.01								0										0	0
2025-04-29	Mary's Cove	Chum	48	1.24								0	1	1								2	2
2025-04-29	Mary's Cove	Chum	46	1.18								0			1							1	1
2025-04-29	Mary's Cove	Chum	39	0.64								0										0	0
2025-04-29	Mary's Cove	Chum	49	1.26		1	1					2										0	2

Date Collected (yyyy-mm-dd)	Site Name	Fish Species	Length (mm)	Weight (g)	LEP Co	LEP C1	LEP C2	LEP PAM	LEP PAF	LEP AM	LEP AF	LEP Total	Cal Co	Cal C1	Cal C2	Cal C3	Cal C4	CAL PAM	CAL PAF	CAL AM	CAL AF	CAL Total	Total Lice
2025-04-29	Mary's Cove	Chum	50	1.38								0		1								1	1
2025-04-29	Mary's Cove	Chum	35	0.43								0										0	0
2025-04-29	Mary's Cove	Chum	52	1.34								0		1								1	1
2025-04-29	Mary's Cove	Chum	44	0.98								0										0	0
2025-04-29	Mary's Cove	Chum	38	0.65								0										0	0
2025-04-29	Mary's Cove	Chum	37	0.58								0	1									1	1
2025-04-29	Mary's Cove	Chum	42	0.82	1							1		1								1	2
2025-04-29	Mary's Cove	Chum	43	0.9								0		1								1	1
2025-04-29	Mary's Cove	Chum	40	0.77								0		2								2	2
2025-04-29	Mary's Cove	Chum	39	0.62								0										0	0
2025-04-29	Mary's Cove	Chum	64	2.81								0			1							1	1
2025-04-29	Mary's Cove	Pink	44	0.69								0										0	0
2025-04-29	Mary's Cove	Pink	37	0.43								0										0	0
2025-04-29	Mary's Cove	Pink	40	0.56								0										0	0
2025-04-29	Mary's Cove	Pink	44	0.72								0			1							1	1
2025-04-29	Mary's Cove	Pink	44	0.64								0		2								2	2
2025-04-29	Mary's Cove	Pink	42	0.75								0				1						1	1
2025-04-29	Mary's Cove	Pink	38	0.47								0										0	0
2025-04-29	Mary's Cove	Pink	38	0.44								0										0	0
2025-04-29	Mary's Cove	Pink	43	0.64								0		1								1	1
2025-04-29	Mary's Cove	Pink	38	0.55								0										0	0
2025-04-29	Mary's Cove	Pink	50	1.22								0										0	0
2025-04-29	Mary's Cove	Pink	43	0.69		1						1										0	1
2025-04-29	Mary's Cove	Pink	43	0.75								0										0	0
2025-04-29	Mary's Cove	Pink	51	1.18								0										0	0
2025-04-29	Mary's Cove	Pink	34	0.31								0		1								1	1
2025-04-29	Mary's Cove	Pink	42	0.66								0										0	0
2025-04-29	Mary's Cove	Pink	44	0.77								0										0	0
2025-04-29	Mary's Cove	Pink	50	1.17								0										0	0
2025-04-29	Mary's Cove	Pink	40	0.59								0										0	0
2025-04-29	Mary's Cove	Pink	52	0.36								0										0	0

Date Collected (yyyy-mm-dd)	Site Name	Fish Species	Length (mm)	Weight (g)	LEP Co	LEP C1	LEP C2	LEP PAM	LEP PAF	LEP AM	LEP AF	LEP Total	Cal Co	Cal C1	Cal C2	Cal C3	Cal C4	CAL PAM	CAL PAF	CAL AM	CAL AF	CAL Total	Total Lice
2025-04-29	Mary's Cove	Pink	43	0.67								0										0	0
2025-04-29	Mary's Cove	Pink	45	0.85								0										0	0
2025-04-29	Mary's Cove	Pink	38	0.47								0										0	0
2025-04-29	Mary's Cove	Pink	48	1.04								0										0	0
2025-04-29	Mary's Cove	Pink	42	0.68								0										0	0
2025-04-29	Mary's Cove	Pink	42	0.69								0										0	0
2025-04-29	Mary's Cove	Pink	44	0.74								0										0	0
2025-04-29	Mary's Cove	Pink	39	0.6								0			1							1	1
2025-04-29	Mary's Cove	Pink	42	0.83								0										0	0
2025-04-29	Mary's Cove	Pink	37	0.47								0										0	0
2025-04-29	Mary's Cove	Pink	39	0.6								0		1								1	1
2025-04-29	Goat Cove	Chum	48	1.23								0										0	0
2025-04-29	Goat Cove	Chum	48	1.14								0										0	0
2025-04-29	Goat Cove	Chum	42	0.8								0										0	0
2025-04-29	Goat Cove	Chum	42	0.72								0										0	0
2025-04-29	Goat Cove	Chum	40	0.66								0										0	0
2025-04-29	Goat Cove	Chum	43	0.81								0										0	0
2025-04-29	Goat Cove	Chum	45	0.99								0										0	0
2025-04-29	Goat Cove	Chum	53	1.74		1						1										0	1
2025-04-29	Goat Cove	Chum	37	0.54								0										0	0
2025-04-29	Goat Cove	Chum	45	0.95								0										0	0
2025-04-29	Goat Cove	Chum	43	0.72								0										0	0
2025-04-29	Goat Cove	Chum	45	0.99								0										0	0
2025-04-29	Goat Cove	Chum	38	0.62								0										0	0
2025-04-29	Goat Cove	Chum	54	1.79								0										0	0
2025-04-29	Goat Cove	Chum	43	1.02								0		1								1	1
2025-04-29	Goat Cove	Chum	37	0.58								0										0	0
2025-04-29	Goat Cove	Chum	46	1.14								0										0	0
2025-04-29	Goat Cove	Chum	43	1.01								0										0	0
2025-04-29	Goat Cove	Chum	40	0.85								0										0	0
2025-04-29	Goat Cove	Chum	44	0.98								0										0	0

Date Collected (yyyy-mm-dd)	Site Name	Fish Species	Length (mm)	Weight (g)	LEP Co	LEP C1	LEP C2	LEP PAM	LEP PAF	LEP AM	LEP AF	LEP Total	Cal Co	Cal C1	Cal C2	Cal C3	Cal C4	CAL PAM	CAL PAF	CAL AM	CAL AF	CAL Total	Total Lice
2025-04-29	Goat Cove	Chum	44	1.26								0										0	0
2025-04-29	Goat Cove	Chum	42	0.96								0										0	0
2025-04-29	Goat Cove	Chum	43	0.94								0										0	0
2025-04-29	Goat Cove	Chum	49	1.59								0										0	0
2025-04-29	Goat Cove	Chum	40	0.87								0										0	0
2025-04-29	Goat Cove	Chum	48	1.39								0										0	0
2025-04-29	Goat Cove	Chum	50	1.7								0										0	0
2025-04-29	Goat Cove	Chum	44	1.01	1							1										0	1
2025-04-29	Goat Cove	Chum	43	0.86								0										0	0
2025-04-29	Goat Cove	Chum	50	1.72				1				1										0	1
2025-04-29	Goat Cove	Pink	42	0.64								0										0	0
2025-04-29	Goat Cove	Pink	41	0.56								0										0	0
2025-04-29	Goat Cove	Pink	36	0.36								0										0	0
2025-04-29	Goat Cove	Pink	31	0.27								0										0	0
2025-04-29	Goat Cove	Pink	42	0.67								0										0	0
2025-04-29	Goat Cove	Pink	47	1.13								0										0	0
2025-04-29	Goat Cove	Pink	40	0.77								0										0	0
2025-04-29	Goat Cove	Pink	32	0.3								0										0	0
2025-04-29	Goat Cove	Pink	38	0.52								0										0	0
2025-04-29	Goat Cove	Pink	44	0.82								0										0	0
2025-04-29	Goat Cove	Pink	45	1.29								0										0	0
2025-04-29	Goat Cove	Pink	38	0.51								0										0	0
2025-04-29	Goat Cove	Pink	36	0.42								0										0	0
2025-04-29	Goat Cove	Pink	43	0.87								0										0	0
2025-04-29	Goat Cove	Pink	40	0.67								0										0	0
2025-04-29	Goat Cove	Pink	42	0.67								0										0	0
2025-04-29	Goat Cove	Pink	38	0.63								0										0	0
2025-04-29	Goat Cove	Pink	50	1.22								0										0	0
2025-04-29	Goat Cove	Pink	39	0.59								0	1									1	1
2025-04-29	Goat Cove	Pink	52	1.35								0										0	0
2025-04-29	Goat Cove	Pink	41	0.76	1							1										0	1

Date Collected (yyyy-mm-dd)	Site Name	Fish Species	Length (mm)	Weight (g)	LEP Co	LEP C1	LEP C2	LEP PAM	LEP PAF	LEP AM	LEP AF	LEP Total	Cal Co	Cal C1	Cal C2	Cal C3	Cal C4	CAL PAM	CAL PAF	CAL AM	CAL AF	CAL Total	Total Lice
2025-04-29	Goat Cove	Pink	32	0.29								0										0	0
2025-04-29	Goat Cove	Pink	45	0.83								0										0	0
2025-04-29	Goat Cove	Pink	39	0.73								0										0	0
2025-04-29	Goat Cove	Pink	42	0.8								0										0	0
2025-04-29	Goat Cove	Pink	48	1.16								0										0	0
2025-04-29	Goat Cove	Pink	40	0.59								0										0	0
2025-04-29	Goat Cove	Pink	46	1.17								0										0	0
2025-04-29	Goat Cove	Pink	42	0.77								0										0	0
2025-04-29	Goat Cove	Pink	37	0.59								0										0	0
2025-04-29	Meyers Pass	Pink	43	0.73								0										0	0
2025-04-29	Meyers Pass	Pink	39	0.52								0										0	0
2025-04-29	Meyers Pass	Pink	43	0.81								0										0	0
2025-04-29	Meyers Pass	Pink	47	0.98								0										0	0
2025-04-29	Meyers Pass	Pink	47	0.87								0										0	0
2025-04-29	Meyers Pass	Pink	45	0.79								0										0	0
2025-04-29	Meyers Pass	Pink	45	0.91								0		1								1	1
2025-04-29	Meyers Pass	Pink	37	0.42								0										0	0
2025-04-29	Meyers Pass	Pink	54	1.55								0										0	0
2025-04-29	Meyers Pass	Pink	44	0.73								0										0	0
2025-04-29	Meyers Pass	Pink	51	1.28								0										0	0
2025-04-29	Meyers Pass	Pink	44	0.81								0										0	0
2025-04-29	Meyers Pass	Pink	49	1								0										0	0
2025-04-29	Meyers Pass	Pink	39	0.56								0										0	0
2025-04-29	Meyers Pass	Pink	38	0.53								0										0	0
2025-04-29	Meyers Pass	Pink	45	0.98								0		1								1	1
2025-04-29	Meyers Pass	Pink	48	1.01								0										0	0
2025-04-29	Meyers Pass	Pink	51	1.22								0										0	0
2025-04-29	Meyers Pass	Pink	48	1.19								0										0	0
2025-04-29	Meyers Pass	Pink	50	1.24								0										0	0
2025-04-29	Meyers Pass	Pink	49	1.16								0										0	0
2025-04-29	Meyers Pass	Pink	45	0.82								0										0	0

Date Collected (yyyy-mm-dd)	Site Name	Fish Species	Length (mm)	Weight (g)	LEP Co	LEP C1	LEP C2	LEP PAM	LEP PAF	LEP AM	LEP AF	LEP Total	Cal Co	Cal C1	Cal C2	Cal C3	Cal C4	CAL PAM	CAL PAF	CAL AM	CAL AF	CAL Total	Total Lice
2025-04-29	Meyers Pass	Pink	52	1.39								0										0	0
2025-04-29	Meyers Pass	Pink	45	1.08								0										0	0
2025-04-29	Meyers Pass	Pink	43	0.85								0		1								1	1
2025-04-29	Meyers Pass	Pink	40	0.57								0		1								1	1
2025-04-29	Meyers Pass	Pink	40	0.66								0										0	0
2025-04-29	Meyers Pass	Pink	47	1.06								0										0	0
2025-04-29	Meyers Pass	Pink	38	0.45								0										0	0
2025-04-29	Meyers Pass	Pink	41	0.62								0										0	0
2025-04-29	Meyers Pass	Pink	38	0.54								0										0	0
2025-04-29	Meyers Pass	Pink	50	1.19								0										0	0
2025-04-29	Meyers Pass	Pink	52	1.5								0										0	0
2025-04-29	Meyers Pass	Pink	38	0.46								0										0	0
2025-04-29	Meyers Pass	Pink	53	1.66			1					1		3								3	4
2025-04-29	Meyers Pass	Pink	36	0.52	1							1										0	1
2025-04-29	Meyers Pass	Pink	47	1								0										0	0
2025-04-29	Meyers Pass	Pink	41	0.72								0										0	0
2025-04-29	Meyers Pass	Pink	38	0.51								0										0	0
2025-04-29	Meyers Pass	Pink	42	0.88								0										0	0
2025-04-29	Meyers Pass	Pink	45	0.99								0										0	0
2025-04-29	Meyers Pass	Pink	50	1.72								0										0	0
2025-04-29	Meyers Pass	Pink	50	1.46								0										0	0
2025-04-29	Meyers Pass	Pink	50	1.47								0										0	0
2025-04-29	Meyers Pass	Pink	37	0.72								0										0	0
2025-04-29	Meyers Pass	Pink	45	1.02								0										0	0
2025-05-28	Arthur Island	Chum	58	2.26								0		1	1							2	2
2025-05-28	Arthur Island	Chum	43	0.81								0		1				1				2	2
2025-05-28	Arthur Island	Chum	46	1.17		1						1		1								1	2
2025-05-28	Arthur Island	Chum	57	1.6								0										0	0
2025-05-28	Arthur Island	Chum	44	1								0										0	0
2025-05-28	Arthur Island	Chum	58	1.95								0										0	0
2025-05-28	Arthur Island	Chum	54	1.84								0						1				1	1

Date Collected (yyyy-mm-dd)	Site Name	Fish Species	Length (mm)	Weight (g)	LEP Co	LEP C1	LEP C2	LEP PAM	LEP PAF	LEP AM	LEP AF	LEP Total	Cal Co	Cal C1	Cal C2	Cal C3	Cal C4	CAL PAM	CAL PAF	CAL AM	CAL AF	CAL Total	Total Lice
2025-05-28	Arthur Island	Chum	69	3.62								0										0	0
2025-05-28	Arthur Island	Chum	42	0.85								0										0	0
2025-05-28	Arthur Island	Chum	59	2.14								0										0	0
2025-05-28	Arthur Island	Chum	59	2.18								0										0	0
2025-05-28	Arthur Island	Chum	62	2.22								0										0	0
2025-05-28	Arthur Island	Chum	48	1.38								0										0	0
2025-05-28	Arthur Island	Chum	49	1.3								0										0	0
2025-05-28	Arthur Island	Chum	73	4.45								0										0	0
2025-05-28	Arthur Island	Chum	65	3.1								0										0	0
2025-05-28	Arthur Island	Chum	55	1.86								0										0	0
2025-05-28	Arthur Island	Chum	62	2.44								0										0	0
2025-05-28	Arthur Island	Chum	62	2.57								0										0	0
2025-05-28	Arthur Island	Chum	63	2.73								0										0	0
2025-05-28	Arthur Island	Chum	70	3.77								0										0	0
2025-05-28	Arthur Island	Chum	54	1.6								0								1		1	1
2025-05-28	Arthur Island	Chum	70	3.75								0										0	0
2025-05-28	Arthur Island	Chum	56	1.97								0										0	0
2025-05-28	Arthur Island	Chum	62	2.88								0			1							1	1
2025-05-28	Arthur Island	Chum	70	4.11								0			1							1	1
2025-05-28	Arthur Island	Chum	63	3.33								0			1	1						2	2
2025-05-28	Arthur Island	Chum	68	3.72								0								1		1	1
2025-05-28	Arthur Island	Chum	65	2.89								0										0	0
2025-05-28	Arthur Island	Chum	64	2.84								0		1	1							2	2
2025-05-28	Arthur Island	Chum	59	2.73								0			1							1	1
2025-05-28	Arthur Island	Pink	51	1.29								0										0	0
2025-05-28	Arthur Island	Pink	58	2.12								0										0	0
2025-05-28	Arthur Island	Pink	49	1.18								0										0	0
2025-05-28	Arthur Island	Pink	55	1.66								0										0	0
2025-05-28	Arthur Island	Pink	36	0.48								0										0	0
2025-05-28	Arthur Island	Pink	64	2.67								0										0	0
2025-05-28	Arthur Island	Pink	47	1.09								0										0	0

Date Collected (yyyy-mm-dd)	Site Name	Fish Species	Length (mm)	Weight (g)	LEP Co	LEP C1	LEP C2	LEP PAM	LEP PAF	LEP AM	LEP AF	LEP Total	Cal Co	Cal C1	Cal C2	Cal C3	Cal C4	CAL PAM	CAL PAF	CAL AM	CAL AF	CAL Total	Total Lice
2025-05-28	Arthur Island	Pink	46	1.14								0										0	0
2025-05-28	Arthur Island	Pink	51	1.41								0										0	0
2025-05-28	Arthur Island	Pink	45	1.09								0										0	0
2025-05-28	Arthur Island	Pink	59	2.11								0										0	0
2025-05-28	Arthur Island	Pink	56	1.92								0										0	0
2025-05-28	Arthur Island	Pink	44	0.8								0										0	0
2025-05-28	Arthur Island	Pink	46	1								0										0	0
2025-05-28	Arthur Island	Pink	51	1.23								0										0	0
2025-05-28	Arthur Island	Pink	63	2.87								0										0	0
2025-05-28	Arthur Island	Pink	60	2.17								0										0	0
2025-05-28	Arthur Island	Pink	51	1.42								0										0	0
2025-05-28	Arthur Island	Pink	60	1.98								0										0	0
2025-05-28	Arthur Island	Pink	48	1.23								0	1									1	1
2025-05-28	Arthur Island	Pink	54	1.74								0										0	0
2025-05-28	Arthur Island	Pink	48	1.09								0		1								1	1
2025-05-28	Arthur Island	Pink	49	1.1								0										0	0
2025-05-28	Arthur Island	Pink	60	2.28				1				1										0	1
2025-05-28	Arthur Island	Pink	64	3.01								0										0	0
2025-05-28	Arthur Island	Pink	50	1.16								0										0	0
2025-05-28	Arthur Island	Pink	75	4.03								0										0	0
2025-05-28	Arthur Island	Pink	58	1.87								0		1								1	1
2025-05-28	Arthur Island	Pink	61	2.17								0										0	0
2025-05-28	Carter Bay	Chum	61	2.15								0										0	0
2025-05-28	Carter Bay	Chum	45	0.85								0										0	0
2025-05-28	Carter Bay	Chum	50	1.14								0										0	0
2025-05-28	Carter Bay	Chum	60	1.94			1					1										0	1
2025-05-28	Carter Bay	Chum	66	2.45		1						1										0	1
2025-05-28	Carter Bay	Chum	61	2.17								0										0	0
2025-05-28	Carter Bay	Chum	58	1.78								0										0	0
2025-05-28	Carter Bay	Chum	66	3.01								0										0	0
2025-05-28	Carter Bay	Chum	65	2.87								0										0	0

Date Collected (yyyy-mm-dd)	Site Name	Fish Species	Length (mm)	Weight (g)	LEP Co	LEP C1	LEP C2	LEP PAM	LEP PAF	LEP AM	LEP AF	LEP Total	Cal Co	Cal C1	Cal C2	Cal C3	Cal C4	CAL PAM	CAL PAF	CAL AM	CAL AF	CAL Total	Total Lice
2025-05-28	Carter Bay	Chum	59	1.79								0										0	0
2025-05-28	Carter Bay	Chum	42	0.69								0										0	0
2025-05-28	Carter Bay	Chum	72	3.88								0			1							1	1
2025-05-28	Carter Bay	Chum	62	2.45								0										0	0
2025-05-28	Carter Bay	Chum	57	1.85								0										0	0
2025-05-28	Carter Bay	Chum	56	1.92								0										0	0
2025-05-28	Carter Bay	Chum	65	2.72								0										0	0
2025-05-28	Carter Bay	Chum	60	2.01								0										0	0
2025-05-28	Carter Bay	Chum	66	2.38								0										0	0
2025-05-28	Carter Bay	Chum	62	3.41								0										0	0
2025-05-28	Carter Bay	Chum	46	0.79								0										0	0
2025-05-28	Carter Bay	Chum	67	3.31								0										0	0
2025-05-28	Carter Bay	Chum	62	2.09								0										0	0
2025-05-28	Carter Bay	Chum	69	2.87			1					1										0	1
2025-05-28	Carter Bay	Chum	67	2.91								0										0	0
2025-05-28	Carter Bay	Chum	80	5.04								0		1								1	1
2025-05-28	Carter Bay	Chum	64	2.86								0										0	0
2025-05-28	Carter Bay	Chum	60	1.93		1						1										0	1
2025-05-28	Carter Bay	Chum	75	4.17								0										0	0
2025-05-28	Carter Bay	Chum	67	2.83								0										0	0
2025-05-28	Carter Bay	Coho	80	6.04								0										0	0
2025-05-28	Carter Bay	Coho	86	6.43								0										0	0
2025-05-28	Carter Bay	Coho	82	7.34								0										0	0
2025-05-28	Carter Bay	Coho	90	9.36								0										0	0
2025-05-28	Carter Bay	Pink	51	1.42								0										0	0
2025-05-28	Carter Bay	Pink	47	1.14								0										0	0
2025-05-28	Carter Bay	Pink	53	1.28								0										0	0
2025-05-28	Carter Bay	Pink	55	1.64								0										0	0
2025-05-28	Carter Bay	Pink	45	0.87								0										0	0
2025-05-28	Carter Bay	Pink	52	1.28								0										0	0
2025-05-28	Carter Bay	Pink	65	2.74								0		1								1	1

Date Collected (yyyy-mm-dd)	Site Name	Fish Species	Length (mm)	Weight (g)	LEP Co	LEP C1	LEP C2	LEP PAM	LEP PAF	LEP AM	LEP AF	LEP Total	Cal Co	Cal C1	Cal C2	Cal C3	Cal C4	CAL PAM	CAL PAF	CAL AM	CAL AF	CAL Total	Total Lice
2025-05-28	Carter Bay	Pink	50	1.27								0										0	0
2025-05-28	Carter Bay	Pink	53	1.31								0										0	0
2025-05-28	Carter Bay	Pink	54	1.29								0										0	0
2025-05-28	Carter Bay	Pink	42	0.77								0										0	0
2025-05-28	Carter Bay	Pink	62	2.67								0										0	0
2025-05-28	Carter Bay	Pink	66	2.57								0										0	0
2025-05-28	Carter Bay	Pink	41	0.71								0	1									1	1
2025-05-28	Carter Bay	Pink	50	1.38								0										0	0
2025-05-28	Carter Bay	Pink	70	3.68								0										0	0
2025-05-28	Carter Bay	Pink	45	1.04								0										0	0
2025-05-28	Carter Bay	Pink	55	1.69								0										0	0
2025-05-28	Carter Bay	Pink	50	1.17								0										0	0
2025-05-28	Carter Bay	Pink	51	1.18								0										0	0
2025-05-28	Carter Bay	Pink	69	3.59								0										0	0
2025-05-28	Carter Bay	Pink	78	5.17								0										0	0
2025-05-28	Carter Bay	Pink	51	1.44								0										0	0
2025-05-28	Carter Bay	Pink	52	1.45								0										0	0
2025-05-28	Carter Bay	Pink	52	1.39								0										0	0
2025-05-28	Carter Bay	Pink	63	3.1								0		1	1							2	2
2025-05-28	Carter Bay	Pink	72	4.51								0										0	0
2025-05-28	Carter Bay	Pink	58	1.97								0										0	0
2025-05-28	Carter Bay	Pink	50	1.26								0										0	0
2025-05-28	Carter Bay	Pink	59	1.85								0										0	0
2025-05-28	Carter Bay	Pink	52	1.66								0										0	0
2025-05-28	Goat Cove	Chum	68	2.73								0										0	0
2025-05-28	Goat Cove	Chum	60	1.97								0										0	0
2025-05-28	Goat Cove	Chum	65	2.69								0										0	0
2025-05-28	Goat Cove	Chum	55	1.4								0										0	0
2025-05-28	Goat Cove	Chum	58	2.28								0					1					1	1
2025-05-28	Goat Cove	Chum	63	2.1								0										0	0
2025-05-28	Goat Cove	Chum	64	2.63								0										0	0

Date Collected (yyyy-mm-dd)	Site Name	Fish Species	Length (mm)	Weight (g)	LEP Co	LEP C1	LEP C2	LEP PAM	LEP PAF	LEP AM	LEP AF	LEP Total	Cal Co	Cal C1	Cal C2	Cal C3	Cal C4	CAL PAM	CAL PAF	CAL AM	CAL AF	CAL Total	Total Lice
2025-05-28	Goat Cove	Chum	66	3.25								0										0	0
2025-05-28	Goat Cove	Chum	65	2.67								0										0	0
2025-05-28	Goat Cove	Chum	68	3.11								0										0	0
2025-05-28	Goat Cove	Chum	75	3.25								0										0	0
2025-05-28	Goat Cove	Chum	72	3.2								0										0	0
2025-05-28	Goat Cove	Chum	69	3.3								0										0	0
2025-05-28	Goat Cove	Chum	85	5.95								0										0	0
2025-05-28	Goat Cove	Chum	65	2.61								0										0	0
2025-05-28	Goat Cove	Chum	70	2.93								0		1								1	1
2025-05-28	Goat Cove	Chum	65	2.55								0										0	0
2025-05-28	Goat Cove	Chum	73	3.55								0										0	0
2025-05-28	Goat Cove	Chum	80	5.57								0										0	0
2025-05-28	Goat Cove	Chum	93	6.49								0										0	0
2025-05-28	Goat Cove	Chum	70	3.66								0		1								1	1
2025-05-28	Goat Cove	Chum	69	3.06								0										0	0
2025-05-28	Goat Cove	Chum	84	6.65								0										0	0
2025-05-28	Goat Cove	Chum	70	3.65								0										0	0
2025-05-28	Goat Cove	Chum	75	3.57								0										0	0
2025-05-28	Goat Cove	Chum	68	3.65								0										0	0
2025-05-28	Goat Cove	Chum	67	2.88								0										0	0
2025-05-28	Goat Cove	Chum	80	5.28								0										0	0
2025-05-28	Goat Cove	Chum	75	4.48		1						1										0	1
2025-05-28	Goat Cove	Chum	71	3.04								0										0	0
2025-05-28	Goat Cove	Pink	60	2.24								0										0	0
2025-05-28	Goat Cove	Pink	60	2.23								0										0	0
2025-05-28	Goat Cove	Pink	65	2.41								0										0	0
2025-05-28	Goat Cove	Pink	75	3.3								0										0	0
2025-05-28	Goat Cove	Pink	64	2.48								0										0	0
2025-05-28	Goat Cove	Pink	67	2.44								0										0	0
2025-05-28	Hird Point	Chum	76	4.89								0										0	0
2025-05-28	Hird Point	Chum	67	3.01								0										0	0

Date Collected (yyyy-mm-dd)	Site Name	Fish Species	Length (mm)	Weight (g)	LEP Co	LEP C1	LEP C2	LEP PAM	LEP PAF	LEP AM	LEP AF	LEP Total	Cal Co	Cal C1	Cal C2	Cal C3	Cal C4	CAL PAM	CAL PAF	CAL AM	CAL AF	CAL Total	Total Lice
2025-05-28	Hird Point	Chum	80	5.64								0										0	0
2025-05-28	Hird Point	Chum	70	4.11								0										0	0
2025-05-28	Hird Point	Chum	67	2.94								0										0	0
2025-05-28	Hird Point	Chum	90	7.26								0										0	0
2025-05-28	Hird Point	Chum	80	4.9								0										0	0
2025-05-28	Hird Point	Chum	65	3.32								0										0	0
2025-05-28	Hird Point	Chum	68	3.38								0										0	0
2025-05-28	Hird Point	Chum	70	3.77								0										0	0
2025-05-28	Hird Point	Chum	75	4.5								0										0	0
2025-05-28	Hird Point	Chum	80	5.09								0										0	0
2025-05-28	Hird Point	Chum	65	2.86								0										0	0
2025-05-28	Hird Point	Chum	72	4.27								0										0	0
2025-05-28	Hird Point	Chum	63	3								0										0	0
2025-05-28	Hird Point	Chum	70	4.19								0										0	0
2025-05-28	Hird Point	Chum	75	4.44								0										0	0
2025-05-28	Hird Point	Chum	68	4.05								0										0	0
2025-05-28	Hird Point	Chum	88	6.27								0										0	0
2025-05-28	Hird Point	Chum	76	5.05								0										0	0
2025-05-28	Hird Point	Chum	70	4.08								0										0	0
2025-05-28	Hird Point	Chum	75	4.43								0										0	0
2025-05-28	Hird Point	Chum	70	3.76								0										0	0
2025-05-28	Hird Point	Chum	59	2.25								0										0	0
2025-05-28	Hird Point	Chum	72	3.74								0										0	0
2025-05-28	Hird Point	Chum	62	2.45								0										0	0
2025-05-28	Hird Point	Chum	56	2.23								0										0	0
2025-05-28	Hird Point	Chum	75	3.81								0										0	0
2025-05-28	Hird Point	Chum	65	3.45								0										0	0
2025-05-28	Hird Point	Chum	72	3.58								0										0	0
2025-05-28	Hird Point	Chum	70	3.37								0										0	0
2025-05-28	Hird Point	Pink	69	3.58								0										0	0
2025-05-28	Hird Point	Pink	74	5.3								0										0	0

Date Collected (yyyy-mm-dd)	Site Name	Fish Species	Length (mm)	Weight (g)	LEP Co	LEP C1	LEP C2	LEP PAM	LEP PAF	LEP AM	LEP AF	LEP Total	Cal Co	Cal C1	Cal C2	Cal C3	Cal C4	CAL PAM	CAL PAF	CAL AM	CAL AF	CAL Total	Total Lice
2025-05-28	Hird Point	Pink	76	4.51								0										0	0
2025-05-28	Hird Point	Pink	72	4.53								0										0	0
2025-05-28	Hird Point	Pink	75	4.8								0										0	0
2025-05-28	Hird Point	Pink	78	4.95								0										0	0
2025-05-28	Hird Point	Pink	82	6.41								0										0	0
2025-05-28	Hird Point	Pink	84	6.23								0										0	0
2025-05-28	Hird Point	Pink	63	3.21								0										0	0
2025-05-28	Hird Point	Pink	70	3.4								0										0	0
2025-05-28	Hird Point	Pink	86	7.33								0										0	0
2025-05-28	Hird Point	Pink	73	4.28								0										0	0
2025-05-28	Hird Point	Pink	72	3.96								0										0	0
2025-05-28	Hird Point	Pink	80	6.49								0										0	0
2025-05-28	Hird Point	Pink	70	3.87								0										0	0
2025-05-28	Hird Point	Pink	72	4.45								0										0	0
2025-05-28	Hird Point	Pink	82	6.23								0										0	0
2025-05-28	Hird Point	Pink	65	2.78								0										0	0
2025-05-28	Hird Point	Pink	75	4.81								0										0	0
2025-05-28	Hird Point	Pink	80	4.64								0										0	0
2025-05-28	Hird Point	Pink	73	3.77								0										0	0
2025-05-28	Hird Point	Pink	75	4.98								0										0	0
2025-05-28	Hird Point	Pink	83	5.83								0										0	0
2025-05-28	Hird Point	Pink	75	4.36								0										0	0
2025-05-28	Hird Point	Pink	76	4.63								0										0	0
2025-05-28	Hird Point	Pink	75	5.35								0										0	0
2025-05-28	Hird Point	Pink	82	6.14								0										0	0
2025-05-28	Hird Point	Pink	73	3.78								0										0	0
2025-05-28	Kynoch Point	Chum	58	2.21								0										0	0
2025-05-28	Kynoch Point	Chum	56	2.06								0										0	0
2025-05-28	Kynoch Point	Chum	60	2.14								0										0	0
2025-05-28	Kynoch Point	Chum	60	2.19								0										0	0
2025-05-28	Kynoch Point	Chum	60	2.65								0										0	0

Date Collected (yyyy-mm-dd)	Site Name	Fish Species	Length (mm)	Weight (g)	LEP Co	LEP C1	LEP C2	LEP PAM	LEP PAF	LEP AM	LEP AF	LEP Total	Cal Co	Cal C1	Cal C2	Cal C3	Cal C4	CAL PAM	CAL PAF	CAL AM	CAL AF	CAL Total	Total Lice
2025-05-28	Kynoch Point	Chum	50	1.17								0										0	0
2025-05-28	Kynoch Point	Chum	58	1.95								0										0	0
2025-05-28	Kynoch Point	Chum	39	0.57								0										0	0
2025-05-28	Kynoch Point	Chum	42	0.8								0										0	0
2025-05-28	Kynoch Point	Chum	62	2.15								0										0	0
2025-05-28	Kynoch Point	Chum	58	1.7								0										0	0
2025-05-28	Kynoch Point	Chum	56	2.02								0					1					1	1
2025-05-28	Kynoch Point	Chum	75	3.35								0										0	0
2025-05-28	Kynoch Point	Chum	52	1.53								0										0	0
2025-05-28	Kynoch Point	Chum	65	2.5								0										0	0
2025-05-28	Kynoch Point	Chum	56	1.81								0										0	0
2025-05-28	Kynoch Point	Chum	48	1.18								0										0	0
2025-05-28	Kynoch Point	Chum	46	1.06								0		1								1	1
2025-05-28	Kynoch Point	Chum	68	2.91								0										0	0
2025-05-28	Kynoch Point	Chum	68	2.9								0										0	0
2025-05-28	Kynoch Point	Chum	48	1.11								0										0	0
2025-05-28	Kynoch Point	Chum	52	1.47								0										0	0
2025-05-28	Kynoch Point	Chum	60	1.76								0										0	0
2025-05-28	Kynoch Point	Chum	55	1.64								0										0	0
2025-05-28	Kynoch Point	Chum	55	1.71								0										0	0
2025-05-28	Kynoch Point	Chum	68	2.93								0										0	0
2025-05-28	Kynoch Point	Chum	39	0.6								0										0	0
2025-05-28	Kynoch Point	Chum	62	2.13								0										0	0
2025-05-28	Kynoch Point	Chum	70	3.35								0										0	0
2025-05-28	Kynoch Point	Chum	61	2.16								0										0	0
2025-05-28	Kynoch Point	Pink	60	1.79								0										0	0
2025-05-28	Kynoch Point	Pink	60	2								0										0	0
2025-05-28	Kynoch Point	Pink	51	1.06								0										0	0
2025-05-28	Kynoch Point	Pink	52	1.38								0										0	0
2025-05-28	Kynoch Point	Pink	62	1.99								0										0	0
2025-05-28	Kynoch Point	Pink	50	1.11								0										0	0

Date Collected (yyyy-mm-dd)	Site Name	Fish Species	Length (mm)	Weight (g)	LEP Co	LEP C1	LEP C2	LEP PAM	LEP PAF	LEP AM	LEP AF	LEP Total	Cal Co	Cal C1	Cal C2	Cal C3	Cal C4	CAL PAM	CAL PAF	CAL AM	CAL AF	CAL Total	Total Lice
2025-05-28	Kynoch Point	Pink	50	1.36								0										0	0
2025-05-28	Kynoch Point	Pink	63	2.38								0										0	0
2025-05-28	Kynoch Point	Pink	56	1.5								0										0	0
2025-05-28	Kynoch Point	Pink	40	0.47								0										0	0
2025-05-28	Kynoch Point	Pink	60	2.07						1		1										0	1
2025-05-28	Kynoch Point	Pink	50	1.36								0										0	0
2025-05-28	Kynoch Point	Pink	53	1.54								0										0	0
2025-05-28	Kynoch Point	Pink	52	1.45								0										0	0
2025-05-28	Kynoch Point	Pink	52	1.12								0										0	0
2025-05-28	Kynoch Point	Pink	50	1.21								0										0	0
2025-05-28	Kynoch Point	Pink	44	0.83								0										0	0
2025-05-28	Kynoch Point	Pink	55	1.53								0										0	0
2025-05-28	Kynoch Point	Pink	48	1.16								0										0	0
2025-05-28	Kynoch Point	Pink	55	1.54								0										0	0
2025-05-28	Kynoch Point	Pink	52	1.27								0										0	0
2025-05-28	Kynoch Point	Pink	67	2.49								0										0	0
2025-05-28	Kynoch Point	Pink	64	2.14								0										0	0
2025-05-28	Kynoch Point	Pink	60	1.86								0	1									1	1
2025-05-28	Kynoch Point	Pink	56	1.66								0										0	0
2025-05-28	Kynoch Point	Pink	53	1.57	1							1										0	1
2025-05-28	Kynoch Point	Pink	55	1.57								0										0	0
2025-05-28	Kynoch Point	Pink	40	0.62								0										0	0
2025-05-28	Kynoch Point	Pink	60	2.16								0										0	0
2025-05-28	Kynoch Point	Pink	62	2.24								0										0	0
2025-05-29	Lower Laredo	Chum	82	5.19								0										0	0
2025-05-29	Lower Laredo	Chum	87	7.03								0										0	0
2025-05-29	Lower Laredo	Chum	87	6.64								0										0	0
2025-05-29	Lower Laredo	Pink	76	4.4								0										0	0
2025-05-29	Lower Laredo	Pink	66	3.6								0										0	0
2025-05-29	Lower Laredo	Pink	78	4.65								0										0	0
2025-05-29	Lower Laredo	Pink	90	8.28								0										0	0

Date Collected (yyyy-mm-dd)	Site Name	Fish Species	Length (mm)	Weight (g)	LEP Co	LEP C1	LEP C2	LEP PAM	LEP PAF	LEP AM	LEP AF	LEP Total	Cal Co	Cal C1	Cal C2	Cal C3	Cal C4	CAL PAM	CAL PAF	CAL AM	CAL AF	CAL Total	Total Lice
2025-05-29	Lower Laredo	Pink	80	5.8								0										0	0
2025-05-29	Lower Laredo	Pink	78	4.77								0										0	0
2025-05-29	Lower Laredo	Pink	75	4.16								0										0	0
2025-05-29	Lower Laredo	Pink	72	4.02								0										0	0
2025-05-29	Lower Laredo	Pink	82	5.47								0										0	0
2025-05-29	Lower Laredo	Pink	80	5.01								0										0	0
2025-05-29	Lower Laredo	Pink	88	7.02								0										0	0
2025-05-29	Lower Laredo	Pink	75	5.24								0										0	0
2025-05-29	Lower Laredo	Pink	78	5.46								0										0	0
2025-05-29	Lower Laredo	Pink	85	6.9								0										0	0
2025-05-29	Lower Laredo	Pink	80	5.54								0										0	0
2025-05-29	Lower Laredo	Pink	68	3.91								0										0	0
2025-05-29	Lower Laredo	Pink	80	5.58								0										0	0
2025-05-29	Lower Laredo	Pink	78	4.71								0										0	0
2025-05-29	Lower Laredo	Pink	80	5.15								0										0	0
2025-05-29	Lower Laredo	Pink	75	4.44								0										0	0
2025-05-29	Lower Laredo	Pink	75	4.88								0										0	0
2025-05-29	Lower Laredo	Pink	90	7.79								0										0	0
2025-05-29	Lower Laredo	Pink	80	5.59								0										0	0
2025-05-29	Lower Laredo	Pink	65	3.25								0										0	0
2025-05-29	Lower Laredo	Pink	75	3.93								0										0	0
2025-05-29	Lower Laredo	Pink	78	5.13								0										0	0
2025-05-29	Lower Laredo	Pink	85	6.66								0										0	0
2025-05-29	Lower Laredo	Pink	89	6.35								0										0	0
2025-05-29	Lower Laredo	Pink	85	5.66								0										0	0
2025-05-29	Lower Laredo	Pink	85	6.39								0										0	0
2025-05-28	Mary's Cove	Chum	61	2.42								0										0	0
2025-05-28	Mary's Cove	Chum	66	3.26								0					3			2		5	5
2025-05-28	Mary's Cove	Chum	57	1.82								0										0	0
2025-05-28	Mary's Cove	Chum	62	2.57								0		1								1	1
2025-05-28	Mary's Cove	Chum	50	1.37								0										0	0

Date Collected (yyyy-mm-dd)	Site Name	Fish Species	Length (mm)	Weight (g)	LEP Co	LEP C1	LEP C2	LEP PAM	LEP PAF	LEP AM	LEP AF	LEP Total	Cal Co	Cal C1	Cal C2	Cal C3	Cal C4	CAL PAM	CAL PAF	CAL AM	CAL AF	CAL Total	Total Lice
2025-05-28	Mary's Cove	Chum	70	4.13			1					1										0	1
2025-05-28	Mary's Cove	Chum	60	2.57						1		1										0	1
2025-05-28	Mary's Cove	Chum	58	2.38	1	1						2										0	2
2025-05-28	Mary's Cove	Chum	56	2.07			1		1			2										0	2
2025-05-28	Mary's Cove	Chum	65	3.27			1					1		1								1	2
2025-05-28	Mary's Cove	Chum	56	1.94		1						1										0	1
2025-05-28	Mary's Cove	Chum	62	2.83								0		1								1	1
2025-05-28	Mary's Cove	Chum	66	3.2								0										0	0
2025-05-28	Mary's Cove	Chum	56	2.18								0										0	0
2025-05-28	Mary's Cove	Chum	64	2.9			1					1		2								2	3
2025-05-28	Mary's Cove	Chum	58	1.9				1				1										0	1
2025-05-28	Mary's Cove	Chum	79	5.23			1					1										0	1
2025-05-28	Mary's Cove	Chum	60	2.87			1					1		1		2		1				4	5
2025-05-28	Mary's Cove	Chum	64	2.99			1					1										0	1
2025-05-28	Mary's Cove	Chum	74	4.12			1					1			1							1	2
2025-05-28	Mary's Cove	Chum	72	4.55								0		1								1	1
2025-05-28	Mary's Cove	Chum	67	3.7								0		1				1				2	2
2025-05-28	Mary's Cove	Chum	75	5.22								0		3	2		1					6	6
2025-05-28	Mary's Cove	Chum	72	4.68								0		3	1		1		1			6	6
2025-05-28	Mary's Cove	Chum	68	3.69								0		1								1	1
2025-05-28	Mary's Cove	Chum	73	4.58								0										0	0
2025-05-28	Mary's Cove	Chum	63	3.33		1						1		3								3	4
2025-05-28	Mary's Cove	Chum	65	2.97								0									1	1	1
2025-05-28	Mary's Cove	Chum	66	3.56								0		3								3	3
2025-05-28	Mary's Cove	Chum	66	3.48								0										0	0
2025-05-28	Mary's Cove	Pink	39	0.55		1						1										0	1
2025-05-28	Mary's Cove	Pink	46	0.97								0										0	0
2025-05-28	Mary's Cove	Pink	48	1.08								0		1								1	1
2025-05-28	Mary's Cove	Pink	45	0.95								0										0	0
2025-05-28	Mary's Cove	Pink	55	1.52								0										0	0
2025-05-28	Mary's Cove	Pink	58	1.98								0										0	0

Date Collected (yyyy-mm-dd)	Site Name	Fish Species	Length (mm)	Weight (g)	LEP Co	LEP C1	LEP C2	LEP PAM	LEP PAF	LEP AM	LEP AF	LEP Total	Cal Co	Cal C1	Cal C2	Cal C3	Cal C4	CAL PAM	CAL PAF	CAL AM	CAL AF	CAL Total	Total Lice
2025-05-28	Mary's Cove	Pink	46	0.98								0										0	0
2025-05-28	Mary's Cove	Pink	61	2.29								0							1			1	1
2025-05-28	Mary's Cove	Pink	52	1.35								0										0	0
2025-05-28	Mary's Cove	Pink	70	3.53								0										0	0
2025-05-28	Mary's Cove	Pink	58	2.33								0								1		1	1
2025-05-28	Mary's Cove	Pink	60	2.29								0		1								1	1
2025-05-28	Mary's Cove	Pink	52	1.51								0										0	0
2025-05-28	Mary's Cove	Pink	66	2.88								0	1							1		2	2
2025-05-28	Mary's Cove	Pink	66	2.89								0										0	0
2025-05-28	Mary's Cove	Pink	77	4.72								0										0	0
2025-05-28	Mary's Cove	Pink	71	3.09								0										0	0
2025-05-28	Mary's Cove	Pink	64	2.81								0										0	0
2025-05-28	Mary's Cove	Pink	49	1.14								0										0	0
2025-05-28	Mary's Cove	Pink	39	0.63								0										0	0
2025-05-28	Mary's Cove	Pink	71	4.02								0										0	0
2025-05-28	Mary's Cove	Pink	61	2.3								0										0	0
2025-05-28	Mary's Cove	Pink	55	1.71		1						1										0	1
2025-05-28	Mary's Cove	Pink	63	2.31								0										0	0
2025-05-28	Mary's Cove	Pink	54	1.51								0										0	0
2025-05-28	Mary's Cove	Pink	53	1.5								0										0	0
2025-05-28	Mary's Cove	Pink	52	1.33			1					1			1							1	2
2025-05-28	Mary's Cove	Pink	55	1.98								0										0	0
2025-05-28	Mary's Cove	Pink	47	1.21								0										0	0
2025-05-28	Mary's Cove	Pink	50	1.41								0										0	0
2025-05-29	Meyers Pass	Chum	57	2.19								0										0	0
2025-05-29	Meyers Pass	Chum	70	3.99								0										0	0
2025-05-29	Meyers Pass	Chum	82	6								0	2	1								3	3
2025-05-29	Meyers Pass	Chum	88	6.35								0		1								1	1
2025-05-29	Meyers Pass	Chum	76	4.62								0										0	0
2025-05-29	Meyers Pass	Chum	58	2.46								0										0	0
2025-05-29	Meyers Pass	Chum	62	2.54								0										0	0

Date Collected (yyyy-mm-dd)	Site Name	Fish Species	Length (mm)	Weight (g)	LEP Co	LEP C1	LEP C2	LEP PAM	LEP PAF	LEP AM	LEP AF	LEP Total	Cal Co	Cal C1	Cal C2	Cal C3	Cal C4	CAL PAM	CAL PAF	CAL AM	CAL AF	CAL Total	Total Lice
2025-05-29	Meyers Pass	Chum	55	1.53								0										0	0
2025-05-29	Meyers Pass	Chum	84	6.45								0		1								1	1
2025-05-29	Meyers Pass	Chum	77	5.76								0										0	0
2025-05-29	Meyers Pass	Chum	70	4.57								0										0	0
2025-05-29	Meyers Pass	Chum	84	6.26								0										0	0
2025-05-29	Meyers Pass	Chum	80	5.86								0										0	0
2025-05-29	Meyers Pass	Chum	76	5.7								0										0	0
2025-05-29	Meyers Pass	Chum	74	6.01								0										0	0
2025-05-29	Meyers Pass	Chum	63	3.71								0										0	0
2025-05-29	Meyers Pass	Chum	65	3.52								0										0	0
2025-05-29	Meyers Pass	Chum	80	5.39								0										0	0
2025-05-29	Meyers Pass	Coho	107	12.37								0										0	0
2025-05-29	Meyers Pass	Coho	120	19.88								0										0	0
2025-05-29	Meyers Pass	Coho	115	16.13								0										0	0
2025-05-29	Meyers Pass	Coho	108	14.21								0										0	0
2025-05-29	Meyers Pass	Pink	70	3.36								0										0	0
2025-05-29	Meyers Pass	Pink	68	3.31								0										0	0
2025-05-29	Meyers Pass	Pink	75	4.02								0										0	0
2025-05-29	Meyers Pass	Pink	52	1.3								0										0	0
2025-05-29	Meyers Pass	Pink	62	2.08								0										0	0
2025-05-29	Meyers Pass	Pink	55	1.78								0		2								2	2
2025-05-29	Meyers Pass	Pink	76	5.51								0										0	0
2025-05-29	Meyers Pass	Pink	55	1.6								0										0	0
2025-05-29	Meyers Pass	Pink	62	2.46								0										0	0
2025-05-29	Meyers Pass	Pink	52	1.35								0										0	0
2025-05-29	Meyers Pass	Pink	62	2.63								0										0	0
2025-05-29	Meyers Pass	Pink	48	1.18								0										0	0
2025-05-29	Meyers Pass	Pink	53	1.75								0										0	0
2025-05-29	Meyers Pass	Pink	50	1.14								0										0	0
2025-05-29	Meyers Pass	Pink	55	1.45								0										0	0
2025-05-29	Meyers Pass	Pink	56	2.08								0										0	0

Date Collected (yyyy-mm-dd)	Site Name	Fish Species	Length (mm)	Weight (g)	LEP Co	LEP C1	LEP C2	LEP PAM	LEP PAF	LEP AM	LEP AF	LEP Total	Cal Co	Cal C1	Cal C2	Cal C3	Cal C4	CAL PAM	CAL PAF	CAL AM	CAL AF	CAL Total	Total Lice
2025-05-29	Meyers Pass	Pink	53	1.95								0										0	0
2025-05-29	Meyers Pass	Pink	70	3.63								0										0	0
2025-05-29	Meyers Pass	Pink	53	1.9								0										0	0
2025-05-29	Meyers Pass	Pink	50	1.35			1					1										0	1
2025-05-29	Meyers Pass	Pink	50	1.38								0										0	0
2025-05-29	Meyers Pass	Pink	65	3.03								0										0	0
2025-05-29	Meyers Pass	Pink	80	5.02								0										0	0
2025-05-29	Meyers Pass	Pink	62	2.53								0										0	0
2025-05-29	Meyers Pass	Pink	65	3.55								0										0	0
2025-05-29	Meyers Pass	Pink	68	3.23								0										0	0
2025-05-29	Meyers Pass	Pink	67	3.61								0										0	0
2025-05-29	Meyers Pass	Pink	64	3.46								0										0	0
2025-05-29	Meyers Pass	Pink	78	5.35								0										0	0
2025-05-28	Windy Bay	Chum	55	1.73								0										0	0
2025-05-28	Windy Bay	Chum	57	1.65								0										0	0
2025-05-28	Windy Bay	Chum	50	1.31								0										0	0
2025-05-28	Windy Bay	Chum	58	1.96								0										0	0
2025-05-28	Windy Bay	Chum	48	1.13								0										0	0
2025-05-28	Windy Bay	Chum	56	1.66								0										0	0
2025-05-28	Windy Bay	Chum	52	1.33								0										0	0
2025-05-28	Windy Bay	Chum	58	1.99								0										0	0
2025-05-28	Windy Bay	Chum	42	0.84								0										0	0
2025-05-28	Windy Bay	Chum	52	1.36								0										0	0
2025-05-28	Windy Bay	Chum	50	1.47								0										0	0
2025-05-28	Windy Bay	Chum	52	1.41								0										0	0
2025-05-28	Windy Bay	Chum	38	0.57								0										0	0
2025-05-28	Windy Bay	Chum	58	1.66								0										0	0
2025-05-28	Windy Bay	Chum	63	2.49								0										0	0
2025-05-28	Windy Bay	Chum	56	2								0										0	0
2025-05-28	Windy Bay	Chum	55	1.81								0										0	0
2025-05-28	Windy Bay	Chum	56	1.93								0										0	0

Date Collected (yyyy-mm-dd)	Site Name	Fish Species	Length (mm)	Weight (g)	LEP Co	LEP C1	LEP C2	LEP PAM	LEP PAF	LEP AM	LEP AF	LEP Total	Cal Co	Cal C1	Cal C2	Cal C3	Cal C4	CAL PAM	CAL PAF	CAL AM	CAL AF	CAL Total	Total Lice
2025-05-28	Windy Bay	Chum	58	1.86								0										0	0
2025-05-28	Windy Bay	Chum	57	1.9								0										0	0
2025-05-28	Windy Bay	Chum	55	1.71								0										0	0
2025-05-28	Windy Bay	Chum	52	1.44								0										0	0
2025-05-28	Windy Bay	Chum	52	1.33								0										0	0
2025-05-28	Windy Bay	Chum	50	1.27								0										0	0
2025-05-28	Windy Bay	Chum	55	1.8								0										0	0
2025-05-28	Windy Bay	Chum	54	1.69								0										0	0
2025-05-28	Windy Bay	Chum	55	1.61								0										0	0
2025-05-28	Windy Bay	Chum	57	1.95								0										0	0
2025-05-28	Windy Bay	Chum	50	1.37								0			1							1	1
2025-05-28	Windy Bay	Chum	55	1.54			1					1										0	1
2025-05-28	Windy Bay	Coho	73	5.2								0										0	0
2025-05-28	Windy Bay	Pink	50	1.29								0										0	0
2025-05-28	Windy Bay	Pink	56	1.88								0										0	0
2025-05-28	Windy Bay	Pink	43	1								0										0	0
2025-05-28	Windy Bay	Pink	53	1.56								0										0	0
2025-05-28	Windy Bay	Pink	48	1.11								0										0	0
2025-05-28	Windy Bay	Pink	46	1.05								0										0	0
2025-05-28	Windy Bay	Pink	48	1.1								0										0	0
2025-05-28	Windy Bay	Pink	47	1.27								0										0	0
2025-05-28	Windy Bay	Pink	60	1.99								0										0	0
2025-05-28	Windy Bay	Pink	42	0.79								0										0	0
2025-05-28	Windy Bay	Pink	46	0.91								0										0	0
2025-05-28	Windy Bay	Pink	48	1.38								0										0	0
2025-05-28	Windy Bay	Pink	47	1.1								0										0	0
2025-05-28	Windy Bay	Pink	52	1.35								0										0	0
2025-05-28	Windy Bay	Pink	52	1.39								0										0	0
2025-05-28	Windy Bay	Pink	50	1.18								0										0	0
2025-05-28	Windy Bay	Pink	52	1.45								0										0	0
2025-05-28	Windy Bay	Pink	45	0.87								0										0	0

Date Collected (yyyy-mm-dd)	Site Name	Fish Species	Length (mm)	Weight (g)	LEP Co	LEP C1	LEP C2	LEP PAM	LEP PAF	LEP AM	LEP AF	LEP Total	Cal Co	Cal C1	Cal C2	Cal C3	Cal C4	CAL PAM	CAL PAF	CAL AM	CAL AF	CAL Total	Total Lice
2025-05-28	Windy Bay	Pink	57	1.63								0										0	0
2025-05-28	Windy Bay	Pink	48	1.09								0										0	0
2025-05-28	Windy Bay	Pink	57	1.62								0										0	0
2025-05-28	Windy Bay	Pink	47	1.01								0										0	0
2025-05-28	Windy Bay	Pink	55	1.66								0										0	0
2025-05-28	Windy Bay	Pink	53	1.36								0										0	0
2025-05-28	Windy Bay	Pink	53	1.2								0										0	0
2025-05-28	Windy Bay	Pink	46	0.88								0										0	0
2025-05-28	Windy Bay	Pink	52	1.1								0										0	0
2025-05-28	Windy Bay	Pink	46	1.03								0										0	0
2025-05-28	Windy Bay	Pink	53	1.3								0										0	0
2025-05-28	Windy Bay	Pink	57	1.8								0										0	0