

MOWI[®] Mowi ASC report

| OVERVIEW | |
|--|-----------------------|
| Business Unit | Mowi ASA Region Mid |
| Site | Mannbruholmen |
| ASC status | Certified |
| 1st certification Date | 22.01.2016/05.02.2020 |
| Fish generation | Spring 2019 |
| Start of production cycle | 17.01.2021 |
| Date of last update | 05.03.2021 |
| Wildlife Interactions - Birds | 0 |
| Wildlife Interactions - Mammals | 0 |
| Estimated Unexplained loss (EUL) ¹ | G19= 1882 (0,1%) |
| Suspicious of unidentifiable transmissible agent | None |
| Detection of an OIE ² -notifiable disease | None |
| IPM; non-medicinal measures applied (end of production cycle update) | |
| Number of escaped fish | None |

| WILDLIFE INTERACTIONS | | | |
|-----------------------|----------|---------|-------|
| BIRDS | | | |
| Date | # | Species | Cause |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| Total Birds | 0 | | |

| MAMMALS | | | |
|----------------------|----------|---------|-------|
| Date | # | Species | Cause |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| Total Mammals | 0 | | |

1) Calculated at the end of the production cycle as: EUL = Stocking count – harvest count – mortalities – other known escapes

2) OIE is the World Organization for Animal Health

3) Sensitive periods refers to juvenile outmigration of wild salmonids

4) Average lice count (# mature females/fish)

| SEA LICE COUNTS | |
|-------------------------------------|---|
| Sensitive Period³ | Trøndelag og sørover - uke 16- uke 21, Nordland og nordover - uke 21 - uke 26 |
| BarentsWatch: | Mannbruholmen |

MEDICINAL TREATMENTS

Weighted Number og Medicinal Treatments

Parasiticide load

| Agent | Agent Name | Parasiticide load |
|-------|------------|-------------------|
| 1 | | |
| 2 | | |
| 3 | | |
| 4 | | |
| 5 | | |

Benthic parasiticides residue levels

| Agent | Agent Name | Residue level |
|-------|------------|---------------|
| 1 | | |
| 2 | | |
| 3 | | |
| 4 | | |
| 5 | | |



