

MOWI Mowi ASC report

OVERVIEW	
Business Unit	Mowi ASA Region Mid
Site	Persflua
ASC status	Withdrawn
1st certification Date	12.03.2015
Fish generation	Spring 2020
Start of production cycle	01.05.2020
Date of last update	05.03.2021
Wildlife Interactions - Birds	0
Wildlife Interactions - Mammals	0
Estimated Unexplained loss (EUL) ¹	G18= - 27 420 (-1,35%)
Suspicious of unidentifiable transmissible agent	None
Detection of an OIE ² -notifiable disease	None
IPM; non-medicinal measures applied (end of production cycle update)	
Number of escaped fish	None

WILDLIFE INTERACTIONS			
BIRDS			
Date	#	Species	Cause
Total Birds	0		

MAMMALS			
Date	#	Species	Cause
Total Mammals	0		

1) Calculated at the end of the production cycle as: EUL = Stocking count – harvest count – mortalities – other known escapes

2) OIE is the World Organization for Animal Health

3) Sensitive periods refers to juvenile outmigration of wild salmonids

4) Average lice count (# mature females/fish)

SEA LICE COUNTS		
Sensitive Period ³ Trøndelag og sørover - uke 16- uke 21, Nordland og nordover - uke 21 - uke 26		
BarentsWatch:		Persflua
MEDICINAL TREATMENTS		
Weighted Number of Medicinal Treatments		
Parasiticide load		
Agent	Agent Name	Parasiticide load
1		
2		
3		

4		
5		
Benthic parasiticides residue levels		
Agent	Agent Name	Residue level
1		
2		
3		
4		
5		



J