



Mowi ASC report

OVERVIEW	
Business Unit	Mowi ASA Region Mid
Site	Grøttingsøya
ASC status	Certified
1st certification Date	23.03.2016 / 03.02.2020
Fish generation	Spring 2021
Start of production cycle	31.01.2021
Date of last update	08.03.2022
Wildlife Interactions - Birds	0
Wildlife Interactions - Mammals	0
Estimated Unexplained loss (EUL) ¹	G19= 49 277 (2,76%)
Suspicious of unidentifiable transmissible agent	None
Detection of an OIE ² -notifiable disease	PD, Endemic diagnose VR 54
IPM; non-medicinal measures applied (end of production cycle update)	
Number of escaped fish	None

WILDLIFE INTERACTIONS			
BIRDS			
Date	#	Species	Cause
Total Birds	0		

MAMMALS			
Date	#	Species	Cause
Total Mammals	0		

- 1) Calculated at the end of the production cycle as: EUL = Stocking count – harvest count – mortalities – other known escapes
- 2) OIE is the World Organization for Animal Health
- 3) Sensitive periods refers to juvenile outmigration of wild salmonids
- 4) Average lice count (# mature females/fish)

SEA LICE COUNTS	
Sensitive Period³	Trøndelag og sørover - uke 16- uke 21, Nordland og nordover - uke 21 - uke 26
BarentsWatch:	Grøttingsøy

MEDICINAL TREATMENTS**Weighted Number og Medicinal Treatments****Parasiticide load**

Agent	Agent Name	Parasiticide load
1		
2		
3		
4		
5		

Benthic parasiticides residue levels

Agent	Agent Name	Residue level
1		
2		
3		
4		
5		



