

MOWI Mowi ASC report

| OVERVIEW | |
|--|---|
| Business Unit | Mowi Scotland |
| Site | Maclean's Nose |
| ASC status | Audit Completed |
| 1st certification Date | TBC |
| Fish generation | Q4 2020 |
| Start of production cycle | 24th November 2020 |
| Date of last update | 3rd September 2021 |
| Wildlife Interactions - Birds | 0 |
| Wildlife Interactions - Mammals | 0 |
| Estimated Unexplained loss (EUL) ¹ | <i>Updated at the end of the production cycle</i> |
| Suspicious of unidentifiable transmissible agent | None |
| Unexplained mortality rate | None |
| Detection of an OIE ² -notifiable disease | None |
| IPM; non-medicinal measures applied (end of production cycle update) | |
| Number of escaped fish | None |

WILDLIFE INTERACTIONS

BIRDS

| Date | # | Species | Cause |
|--------------------|----------|---------|-------|
| | | | |
| | | | |
| | | | |
| | | | |
| Total Birds | 0 | | |

MAMMALS

| Date | # | Species | Cause |
|----------------------|----------|---------|-------|
| | | | |
| | | | |
| | | | |
| | | | |
| Total Mammals | 0 | | |

¹ Calculated at the end of the production cycle as: EUL = Stocking count – harvest count – mortalities – other known escapes

² OIE is the World Organization for Animal Health

³ Sensitive periods refers to juvenile outmigration of wild salmonids

⁴ Average lice count (# mature females/fish)

SEA LICE COUNTS

Sensitive Period³ Week 14 to 20

<http://marine.gov.scot/data/spatio-temporal-variability-scottish-smolt-emigration-times-and-sizes>

Medicinal treatment

Weighted Number of Medicinal Treatments

| Parasiticide load | | |
|-------------------|-------------------|-------------------|
| Agent | Agent Name | Parasiticide load |
| 1 | Azemethiphos | 3.7 |
| 2 | Deltametrin | 1.25 |
| 3 | Ememectin benzoat | 2.5 |
| 4 | | |
| 5 | | |

Benthic parasiticide residue levels

| Agent | Agent Name | Residue level |
|-------|------------|---------------|
| 1 | | |
| 2 | | |
| 3 | | |
| 4 | | |
| 5 | | |