



# Mowi ASC report

| OVERVIEW   |                |
|--|----------------|
| Business Unit  | Mowi ASA North |
| Site   | Jektvika I     |
| ASC status   | Certified      |
| 1st certification Date                               | 10.07.2024     |
| Fish generation                                      | 2303           |
| Start of production cycle                            | 12.09.2023     |
| Date of last update                                  | 10.04.2025     |
| Wildlife Interactions - Birds                        | 0              |
| Wildlife Interactions - Mammals                      | 0              |
| Estimated Unexplained loss (EUL) <sup>1</sup>        | 4707 (2303G)   |
| Suspicious of unidentifiable transmissible agent     | None           |
| Unexplained mortality rate                           | None           |
| Detection of an OIE <sup>2</sup> -notifiable disease | None           |
| Number of escaped fish                               | None           |

## WILDLIFE INTERACTIONS

### BIRDS

| Date               | #        | Species | Cause |
|--------------------|----------|---------|-------|
|                    |          |         |       |
|                    |          |         |       |
|                    |          |         |       |
|                    |          |         |       |
| <b>Total Birds</b> | <b>0</b> |         |       |

### MAMMALS

| Date                 | #        | Species | Cause |
|----------------------|----------|---------|-------|
|                      |          |         |       |
|                      |          |         |       |
|                      |          |         |       |
|                      |          |         |       |
| <b>Total Mammals</b> | <b>0</b> |         |       |

<sup>1</sup> Calculated at the end of the production cycle as: EUL = Stocking count – harvest count – mortalities – other known escapes

<sup>2</sup> OIE is the World Organization for Animal Health

<sup>3</sup> Sensitive periods refers to juvenile outmigration of wild salmonids

Average lice count (# mature females/fish)

## SEA LICE COUNTS

|                                     |              |
|-------------------------------------|--------------|
| <b>Sensitive Period<sup>3</sup></b> | Week 16 - 21 |
|-------------------------------------|--------------|

<https://www.barentswatch.no/fiskehelse/locality/11269>

### Medicinal treatment

|  |   |
|--|---|
| <b>Weighted Number of Medicinal Treatments</b> | 0 |
|--|---|

### Parasiticide load

| Agent | Agent Name                | Parasiticide load |
|-------|---------------------------|-------------------|
| 1     | Only mechanical delousing |                   |
| 2     |                           |                   |
| 3     |                           |                   |
| 4     |                           |                   |
| 5     |                           |                   |

### Benthic parasiticide residue levels

| Agent | Agent Name | Residue level |
|-------|------------|---------------|
| 1     |            |               |
| 2     |            |               |
| 3     |            |               |
| 4     |            |               |
| 5     |            |               |