

Mowi Scotland

Adult Female Lice and Mortality Reporting



Week Ending 18-Jul-21

Farm	Adult female lice (Average per fish) ¹	Weekly Mortality (%)	Site Status	Mortality ²	Treatments ³
Ardintoul	0.03	0.10			
Bagh Dail Nan Cean	1.55	0.24			Harvesting
Boisdale (An Camus)	-	-	Site fallow		
Cairidh	-	-	Site fallow		
Camas Glas	0.13	0.52			
Caolas a Deas East	0.69	0.04			
Caolas a Deas West	0.59	0.03			
Carradale	0.74	0.09			
Carradale North	-	-	Site fallow		
Colonsay	0.08	0.14			
Duich	0.01	0.18			
Gorsten	-	-	Site fallow		
Greanem	0.04	0.08			
Greshornish	0.00	0.29			
Grey Horse Channel	0.04	0.27			
Groatay	0.07	0.20			
Harport	2.36	0.61			Harvesting
Hellisay	0.98	0.15			
Invasion Bay	0.07	0.06			
Isle Ewe	-	-	Site fallow		
Kingairloch	-	0.41	Site fallowed in week		
Leven	-	-	Site fallow		
Linnhe	-	-	Site fallow		
Loch Alsh	-	-	Site fallow		
Loch Hourn	0.49	0.26			
MacLean's Nose	0.27	2.11		Yersinia	
Maol Ban	0.39	0.38			Taking place
Marulaig Bay	-	0.22			
Muck	0.75	0.17			Taking place
North Shore	0.08	0.08			
North Shore East	0.18	0.68			Taking place
Noster	0.00	0.05			
Ornish	0.16	0.29			Taking place
Poll Na Gille	1.73	0.35			
Port Na Cro	1.18	0.61			Taking place
Raineach	-	-	Site fallow		
Rum	0.05	0.10			Taking place
Scalpay	-	0.12	Site fallowed in week		
Sconser	1.58	0.26			Harvesting
Sconser Quarry	0.11	0.24			
Scotasay	-	-	Site fallow		
Seaforth	0.00	0.06			
Soay	-	-	Site fallow		
South West Shuna	2.28	0.23			Taking place
Stulaigh	-	-	Site fallow		
Tabhaigh	0.52	0.07			Taking place
Torridon	-	-	Site fallow		

(1) Lice figures are the combined total of gravid/non-gravid females

(2) Main mortality cause noted if the Marine Scotland mortality reporting thresholds of 1.5% per week for fish below 750g, and 1.0% per week for fish over 750g are exceeded

(3) Comments regarding sea lice management treatments are noted here

Yersinia Bacterial infection