

# MOWI® Mowi ASC report

| OVERVIEW   |                                    |
|--|------------------------------------|
| Business Unit  | Mowi ASA Region Mid                |
| Site   | Lille Torsøy                       |
| ASC status   | Certified                          |
| 1st certification Date   | 11.12.2018                         |
| Fish generation  | Autumn 2019                        |
| Start of production cycle  | Following (from 24.02.2021)        |
| Date of last update  | 08.06.2021                         |
| Wildlife Interactions - Birds  | 3                                  |
| Wildlife Interactions - Mammals                                      | 0                                  |
| Estimated Unexplained loss (EUL) <sup>1</sup>                        | G19= - 24 691 (-2,5%)              |
| Suspicious of unidentifiable transmissible agent                     | None                               |
| Detection of an OIE <sup>2</sup> -notifiable disease                 | PD 18.05.20, endemic diagnose VR54 |
| IPM; non-medicinal measures applied (end of production cycle update) |                                    |
| Number of escaped fish   | None                               |

| WILDLIFE INTERACTIONS |          |                                |                    |
|-----------------------|----------|--------------------------------|--------------------|
| BIRDS                 |          |                                |                    |
| Date                  | #        | Species                        | Cause              |
| 11.07.2019            | 1        | Seagull ( <i>Larinae sp.</i> ) | Trapped in birdnet |
| 12.09.2019            | 2        | Seagull ( <i>Larinae sp.</i> ) | Trapped in birdnet |
|                       |          |                                |                    |
|                       |          |                                |                    |
| <b>Total Birds</b>    | <b>3</b> |                                |                    |

| MAMMALS              |          |         |       |
|----------------------|----------|---------|-------|
| Date                 | #        | Species | Cause |
|                      |          |         |       |
|                      |          |         |       |
|                      |          |         |       |
| <b>Total Mammals</b> | <b>0</b> |         |       |

1) Calculated at the end of the production cycle as: EUL = Stocking count – harvest count – mortalities – other known escapes

2) OIE is the World Organization for Animal Health

3) Sensitive periods refers to juvenile outmigration of wild salmonids

4) Average lice count (# mature females/fish)

| SEA LICE COUNTS                     |   |
|-------------------------------------|---|
| <b>Sensitive Period<sup>3</sup></b> | Trøndelag og sørover - uke 16- uke 21, Nordland og nordover - uke 21 - uke 26<br><a href="#">Barentswatch</a> |

| MEDICINAL TREATMENTS                    |
|---|
| Weighted Number of Medicinal Treatments |

| Parasiticide load |            |                   |
|-------------------|------------|-------------------|
| Agent             | Agent Name | Parasiticide load |
| 1                 |            |                   |
| 2                 |            |                   |
| 3                 |            |                   |
| 4                 |            |                   |
| 5                 |            |                   |

  

| Benthic parasiticides residue levels |            |               |
|--------------------------------------|------------|---------------|
| Agent                                | Agent Name | Residue level |
| 1                                    |            |               |
| 2                                    |            |               |
| 3                                    |            |               |
| 4                                    |            |               |
| 5                                    |            |               |



J