



Mowi ASC report

OVERVIEW
Business Unit
Site
ASC status
1st certification Date
Fish generation
Start of production cycle
Date of last update
Wildlife Interactions - Birds
Wildlife Interactions - Mammals
Estimated Unexplained loss (EUL) ¹
Suspicious of unidentifiable transmissible agent
Detection of an OIE ² -notifiable disease
IPM; non-medicinal measures applied (end of production cycle update)
Number of escaped fish

WILDLIFE INTERACTIONS			
BIRDS			
Date	#	Species	Cause
Total Birds	0		

MAMMALS			
Date	#	Species	Cause
Total Mammals	0		

1) Calculated at the end of the production cycle as: EUL = Stocking count – harvest count
2) OIE is the World Organization for Animal Health
3) Sensitive periods refers to juvenile outmigration of wild salmonids
4) Average lice count (# mature females/fish)

SEA LICE COUNTS

Sensitive Period³ week 16 - week 21

BarentsWatch: [Flatøyfjorden](#)

MEDICINAL TREATMENT

Weighted Number og Medicinal Treatments

Parasiticide load

Agent	Agent Name
1	
2	
3	
4	
5	

Benthic parasiticides residue levels

Agent	Agent Name
1	
2	
3	
4	
5	

EW

Mowi ASA Region Mid

Flatøyfjorden

In assessment

Autumn 2021

14.07.2021

30.05.2022

0

0

EUL G19= 16 141 (1,08%)


None

None

None

NS

ount – mortalities – other known escapes



Parasiticide load

Residue level

